



ARVĒS®



waterform

RAINDROP FOR BETTER TOMORROW

COLLECTION 2026

Colour palette

440U	umber	7037	steel
8011	dark brown	7015	light basalt
R222	brown	7021	dark graphite
R736	terracotta	S433	anthracite
7501U	straw yellow	S433	anthracite granite
7501U	straw yellow granite	2260C	sage
7529U	mocca	G851	forest green
874C	old gold	G851	forest green granite
7587U	rustick brick	S411	black
4C	cool gray	B411	black granite
4C	cool gray granite	2088U	lavender
7541U	granite		
429U	smooth gray		
429U	smooth gray granite		
431UG	granite grit		
422U	concrete		
S443	gray		
S443	gray granite		

Designation

Designations in the tables [pictographs]

	symbol
	length - mm
	width - mm
	height - mm
	diameter - mm
	capacity
	polybag quantity
	carton quantity
	number of pieces on a Europalette
	height pallet - m
	truck quantity



ARVĒS®



Tubo
RWT120

p. 8 - 9



Montana
RMT225

p. 10 - 11



Boxy
RWB270

p. 14 - 15



Novara
RNV500

p. 16 - 17



Evergreen Lite
REL300

p. 20 - 21



Tubo
RWT210

p. 8 - 9

NEW



Stone Block
RSB270

p. 12 - 13



Boxy
RWB720

p. 14 - 15



Alana
RALA160

p. 18 - 19



Little Tree
RLT250

p. 20 - 21



Tubo
RWT320

p. 8 - 9

NEW



Stone Block
RSB400

p. 12 - 13



Freze
RWW290

p. 16 - 17



Rainbow
RRA210

p. 18 - 19



Norway
RNO230

p. 22 - 23



Drop
RWD200

p. 10 - 11



Tower
RWK260

p. 14 - 15



Freze
RWW410

p. 16 - 17



Flower
RRAF150

p. 18 - 19



Rustico
RRU275

p. 22 - 23



Drop
RWD410

p. 10 - 11



Tower
RWK720

p. 14 - 15



Novara
RNV280

p. 16 - 17



Evergreen
REV475

p. 20 - 21



Barrique
RBQ250

p. 24 - 25



Burgund
RBU500

p. 24 - 25



Modena
RMO200

p. 28 - 29



Arcado
RAR460

p. 30 - 31



NEW

Accessories

p. 38 - 43



Helena
RHEL300

p. 26 - 27



Modena
RMO350

p. 28 - 29



Concrete
RCO200

p. 32 - 33



Trentino
RTR275

p. 26 - 27



Maurano
RMU300

p. 30 - 31



Noblesse
RNB275

p. 32 - 33



Jumbo
RJU800

p. 26 - 27



Arcado
RAR230

p. 30 - 31



Barletta
RBA280

p. 32 - 33



Modena
RMO100

p. 28 - 29



Arcado
RAR360

p. 30 - 31



Garden post

p. 34 - 37



ARVES®



waterform

RAINDROP FOR BETTER TOMORROW



Gubo
IDGU320

p. 46 - 47



Multitank
IMU250

p. 48 - 49



Aqua Tower
IDTC350

p. 52 - 53



Aquabell
IDAB200S

p. 56 - 57



Velcan
IDVE120

p. 60 - 61



NEW
Gubo
IDGU350

p. 46 - 47



Tower Brick
IDTB350

p. 50 - 51



Aqua Tower
IDTC450

p. 52 - 53



Vuelta
IDV110S

p. 56 - 57



Velcan
IDVE230

p. 60 - 61



Gubo
IDGU700

p. 46 - 47



Tower Stone
IDTST350

p. 50 - 51



Aqua Tower
IDTC650

p. 52 - 53



Tenso
IDT120S

p. 56 - 57



Aquacan Baby
ICAN210

p. 62 - 63



Gubo
IDGU1000

p. 46 - 47



Tower Stone
IDTST500

p. 50 - 51



Aqua Wall
IDAW400

p. 52 - 53



Botaqua
IDB250

p. 58 - 59



Aquacan
ICAN360

p. 62 - 63



Multitank
IMK250

p. 48 - 49



Wall Stone
IDWS400

p. 50 - 51



Aquabell
IDAB110S

p. 56 - 57



Botaqua
IDB430

p. 58 - 59



Aquacan
ICAN440

p. 62 - 63



Maze
IDMZ 240
p. 64 - 65



Wallycan
IDWA270
p. 66



Smooth
IDSM310
p. 68



Peruno Set
IDPE260S
p. 70 - 71

Compatibility
of Bases
and Water Tanks
p. 90 - 93



Tube
IDM 230
p. 64 - 65



Woodcan
IDWO265
p. 66



Smooth
IDSM510
p. 68



Modular Basecan
IBAS5S, IBAS6S
p. 72 - 73



Maze
IDMNP 240
p. 64 - 65



Raincan
IDRA210
p. 66



Smooth
IDSM160
p. 69



Basecan
IBAS
p. 74



Tube
IDMNP230
p. 64 - 65



NEW
Oro
IDOR210
p. 67



Smooth
IDSM200
p. 69



NEW
Garden post
p. 74



Canyon
ION310
p. 66



Smooth
IDSM210
p. 68



Peruno
IDPE260
p. 70 - 71



Accessories
p. 75 - 89



waterform
RAINDROP FOR BETTER TOMORROW

underground rainwater tank



Unground R-1000
RUT1000

p. 96 - 97



Unground R-2000
RUT2000

p. 96 - 97



Unground R-3000
RUT3000

p. 96 - 97



Unground R-5000
RUT5000

p. 98 - 99



Unground R-7000
RUT7000

p. 98 - 99



Unground R-Drain 150
RUR150

p. 100



Unground Filter
RUF

p. 101



Unground R-Drain 500
RUR500

p. 100



Unground Accessories
RUA11

p. 102 - 103



Unground R-Drain 1000
RUR1000

p. 100



Unground Pipe R
RUP1000 / 2000

p. 102 - 103



Unground Cover
RUC400 / 600

p. 101



Unground Extension
RUE400 / 600

p. 101

ARVÈS®

Product line dedicated
to environmental protection.

Functional rainwater tanks made of high-quality materials in the most advanced technology, ensuring stiffness, ultra-strength, resistance to low and high temperatures and UV radiation.

The products are designed to fit into both classic and modern garden arrangements.

By producing rainwater tanks, we support environmental protection activities. We use recycled materials and all our products are 100% recyclable.

120 l
CAPACITY
FINEST QUALITY



Tubo

W Ø mm ↕ mm L

RWT120	470	1050	120
--------	-----	------	-----

431UG

210 l
CAPACITY
FINEST QUALITY



Tubo

W Ø mm ↕ mm L

RWT210	570	1325	210
--------	-----	------	-----

431UG

320 l
CAPACITY
FINEST QUALITY



Tubo

W Ø mm ↕ mm L

RWT320	670	1550	320
--------	-----	------	-----

431UG



- suitable for watering cans due to removable lid
- linkable
- high-quality 3/4" brass connection thread (ig) for the outlet tap
- fits a standard watering can up to 10L under the outlet tap
- UV and weather resistant
- outlet opening for complete drainage before the frost period
- all drainage openings pre-drilled
- manufactured using stress-free rotational molding
- the tank contains a planting tray, allowing rainwater tanks to be used without a lid
- high-quality material with an aesthetic groove pattern
- compatible with Waterform accessories.

The product does not include a metal faucet.



ARVĒS®

200 l
CAPACITY
FINEST QUALITY



Drop



RWD200 570 1205 200



- linkable
- high-quality $\frac{3}{4}$ " brass connection thread (ig) for the outlet tap
- fits a standard watering can up to 10L under the outlet tap
- UV and weather resistant
- outlet opening for complete drainage before the frost period
- all drainage openings pre-drilled
- manufactured using stress-free rotational molding
- rainwater tank inspired by the shape of a water drop with neutral colors, ideal for modern gardens
- high-quality material with aesthetic groove pattern
- compatible with Waterform accessories.

410 l
CAPACITY
FINEST QUALITY



Drop



RWD410 760 1415 410



225 l
CAPACITY
FINEST QUALITY



Montana



RMT225 960 400 1360 225



- natural stone-like form
- unique sculpted detail
- high-quality $\frac{3}{4}$ " brass connection thread (IG) for the outlet tap
- uvand weather resistant
- outlet opening for complete drainage before frost period
- all drainage openings pre-drilled
- compatible with WATERFORM accessories



The product does not include a metal faucet.



The beauty
of water

ARVĒS[®]

The product is delivered fully assembled.

set 270 l
CAPACITY
FINEST QUALITY

NEW



Stone Block



429U 4C

- original form and shape
- multifunctional and capacious rainwater tank
- modern design
- modules connect with other sets from the Stone Block series

The product features an original form and shape, designed to blend functionality with aesthetics. It includes a multifunctional and spacious rainwater tank, ideal for efficient water storage and conservation. The modern design not only enhances the visual appeal but also supports practical usability. Additionally, the modules are designed to seamlessly integrate with other sets from the Stone series, facilitating customizable and flexible arrangements to suit diverse garden layouts and styles.

The product is delivered fully assembled.

set 400 l
CAPACITY
FINEST QUALITY

NEW



Stone Block



429U 4C

Accessories recommended

Withdrawal set with hose 3/4" p. 39



not included

38 x 38 x 38 cm



A1



A2


78 x 38 x 38 cm



B1



B2



Illustrative drawing of the assembly of water tank component.





The beauty
of water

ARVĒS[®]



Tower



RWK260 575 390 1310 260




- linkable
- high-quality $\frac{3}{4}$ " brass connection thread (ig) for the outlet tap
- fits a standard watering can up to 10 l under the outlet tap
- UV and weather resistant
- outlet opening for complete drainage before the frost period
- all drainage openings pre-drilled
- manufactured using stress-free rotational molding
- large-volume rainwater tanks made of robust plastic with an aesthetic, natural stone look
- the high-quality appearance complements modern architectural trends
- compatible with Waterform accessories.



Tower



RWK720 790 590 1800 720



Insert for flowers
under the lid

270 l
CAPACITY
FINEST QUALITY



Boxy



RWB270 765 380 1090 270



- windproof lid
- linkable
- high-quality $\frac{3}{4}$ " brass connection thread (ig) for the outlet tap
- UV and weather resistant
- outlet opening for complete drainage before the frost period
- all drainage openings pre-drilled
- manufactured using stress-free rotational molding
- the tank contains a planting tray, allowing the rainwater tank to be used without a lid
- trendy and functional rainwater tank made from high-quality materials
- compatible with Waterform accessories.



Boxy



RWB720 1145 515 1360 720



The product does not include a metal faucet.

The beauty
of water™



ARVĒS®

290 l
CAPACITY
FINEST QUALITY



Freze

		mm	mm		l
RWW290	580	1205	290		

- linkable
- high-quality ¾" brass connection thread (ig) for the outlet tap
- fits a standard watering can up to 10 l under the outlet tap
- UV and weather resistant
- outlet opening for complete drainage before the frost period
- all drainage openings pre-drilled
- manufactured using stress-free rotational molding
- the modern rainwater tanks freeze serve as convenient water storage elements in the garden
- made from high-quality, weather-resistant materials
- its simple and elegant form makes it a focal point for your modern garden
- aesthetic groove pattern structure
- compatible with Waterform accessories.

410 l
CAPACITY
FINEST QUALITY



Freze

		mm	mm		l
RWW410	630	1450	410		

280 l
CAPACITY
FINEST QUALITY



Novara

		mm	mm		l
RNV280	570	1170	280		

SPECIAL ORDER

--	--	--

- modern cross-ribbed design
- child-safe lid
- linkable
- high-quality ¾" brass connection thread (ig) for the outlet tap
- fits a standard watering can up to 10L under the outlet tap (distance to the ground approx. 30 cm)
- uv and weather resistant
- outlet opening for complete drainage before the frost period
- all drainage openings pre-drilled
- manufactured using stress-free rotational molding
- compatible with Waterform accessories.

500 l
CAPACITY
FINEST QUALITY



Novara

		mm	mm		l
RNV500	570	2100	500		

The product does not include a metal faucet.



The beauty
of water

ARVĒS[®]

160 l
CAPACITY
FINEST QUALITY



Alana



RALA160	545	1160	160
---------	-----	------	-----

S433	S443	7529U
------	------	-------

- firmly integrated planting chamber
- unique vertical wave design
- linkable
- high-quality $\frac{3}{4}$ " brass connection thread (ig) for the outlet tap
- fits a standard watering can up to 10L under the outlet tap (distance to the ground approx. 30 cm)
- UV and weather resistant
- outlet opening for complete drainage before the frost period
- all drainage openings pre-drilled
- manufactured using stress-free rotational molding
- compatible with Waterform accessories

210 l
CAPACITY
FINEST QUALITY



Rainbow



RRA210	600	1100	210
--------	-----	------	-----

S433	S443	7529U
------	------	-------

- child-safe lid
- suitable for watering cans due to removable lid
- linkable
- high-quality $\frac{3}{4}$ " brass connection thread (ig) for the outlet tap
- fits a standard watering can up to 10L under the outlet tap (distance to the ground approx. 30 cm)
- UV and weather resistant
- outlet opening for complete drainage before the frost period
- all drainage openings pre-drilled
- manufactured using stress-free rotational molding
- compatible with Waterform accessories

150 l
CAPACITY
FINEST QUALITY



Rainbow Flower



RRAF150	600	1100	150
---------	-----	------	-----

S433	S443	7529U
------	------	-------

- child-safe lid
- suitable for watering cans due to removable lid
- linkable
- high-quality $\frac{3}{4}$ " brass connection thread (ig) for the outlet tap
- fits a standard watering can up to 10L under the outlet tap (distance to the ground approx. 30 cm)
- UV and weather resistant
- outlet opening for complete drainage before the frost period
- all drainage openings pre-drilled
- manufactured using stress-free rotational molding
- compatible with Waterform accessories

The product does not include a metal faucet.



The beauty
of water

ARVĒS[®]

475 l
CAPACITY
FINEST QUALITY



Evergreen



REV475 780 700 1200 475
440U



- windproof lid
- UV and weather resistant
- all drainage openings pre-drilled
- each tank is unique
- expandable
- child-safe lid
- handcrafted
- the evergreen rainwater tanks are high-quality replicas of oak trunks
- due to their special design, the rainwater tanks integrate perfectly into the natural environment of your garden
- compatible with WATERFORM accessories

300 l
CAPACITY
FINEST QUALITY



Evergreen Lite



REL300 780 480 1200 300
440U



- windproof lid
- UV and weather resistant
- all drainage openings pre-drilled
- each tank is unique
- expandable
- child-safe lid
- handcrafted
- the evergreen rainwater tanks are high-quality replicas of oak trunks
- due to their special design, the rainwater tanks integrate perfectly into the natural environment of your garden
- compatible with Waterform accessories

250 l
CAPACITY
FINEST QUALITY



Little Tree




RLT250 770 580 1050 250
440U



- windproof lid
- each tank is unique
- surface handcrafted
- child-safe lid
- suitable for watering cans due to removable lid
- linkable
- high-quality ¾" brass connection thread (ig) for the outlet tap
- fits a standard watering can up to 10L under the outlet tap (distance to the ground approx. 30 cm)
- UV and weather resistant
- outlet opening for complete drainage before the frost period
- all drainage openings pre-drilled
- manufactured using stress-free rotational molding
- compatible with WATERFORM accessories

The product does not include a metal faucet.

The beauty
of water



WOOD EFFECT FINISH

ARVĒS[®]

230 l
CAPACITY
FINEST QUALITY



Norway



440U

- high-quality brass fittings
- UV and weather resistant
- all drainage openings pre-drilled
- each tank is unique
- expandable
- handcrafted
- linkable
- special stability provided by internal passageways
- genuine wood shingles and nordic spruce were the base materials for the design of this unique rainwater tank
- thanks to its intentionally slim shape and small footprint this rainwater tank fits even in the smallest garden
- compatible with Waterform accessories.

The product does not include a metal faucet.

275 l
CAPACITY
FINEST QUALITY



Rustico



440U

- windproof lid
- child-safe lid
- suitable for watering cans due to removable lid
- UV and weather resistant
- special feature: handcrafted
- outlet opening for complete drainage before the frost period
- all drainage openings pre-drilled
- manufactured using stress-free rotational molding
- high-quality material, authentic wood pattern
- linkable
- thanks to its rustic wood appearance, the rustico rainwater tank fits particularly well in naturally landscaped gardens
- compatible with Waterform accessories.



The beauty
of water



WOOD EFFECT FINISH

ARVĒS[®]

250 l
CAPACITY
FINEST QUALITY



Barrique



RBQ250 600 1050 250

440U

- each tank is unique
- child-safe lid
- suitable for watering cans due to removable lid
- linkable
- high-quality $\frac{3}{4}$ " brass connection thread (ig) for the outlet tap compatible with Waterform accessories

500 l
CAPACITY
FINEST QUALITY



Burgund



RBU500 780 1180 500

440U

- windproof lid
- fits a standard watering can up to 10L under the outlet tap (distance to the ground approx. 30 cm)
- suitable for watering cans due to removable lid
- UV and weather resistant
- outlet opening for complete drainage before the frost period
- all drainage openings pre-drilled
- manufactured using stress-free rotational molding
- just like its smaller counterpart, this rainwater tank is modeled after an original oak rainwater tank
- compatible with Waterform accessories



The product does not include a metal faucet.

The beauty
of water



WOOD EFFECT FINISH

ARVĒS[®]




Helena



R736

- each storage unit is unique
- surface handcrafted
- two different perspectives
- child-safe lid
- suitable for watering cans due to removable lid
- linkable
- high-quality $\frac{3}{4}$ " brass connection thread (ig) for the outlet tap
- UV and weather resistant
- outlet opening for complete drainage before the frost period
- all drainage openings pre-drilled
- manufactured using stress-free rotational molding
- compatible with Waterform accessories

The product does not include a metal faucet.



Trentino



R736 S433

- windproof lid
- child-safe lid
- suitable for watering cans due to removable lid
- linkable
- high-quality $\frac{3}{4}$ " brass connection thread (ig) for the outlet tap
- UV and weather resistant
- special feature: handcrafted
- outlet opening for complete drainage before the frost period
- all drainage openings pre-drilled
- manufactured using stress-free rotational molding
- high-quality material, aesthetic groove pattern
- linkable
- the terracotta color harmonizes with gardens with, for example, a mediterranean flair
- compatible with Waterform accessories



Jumbo




RJU800 S411 431UG G851

SPECIAL ORDER

7501U 4C B411

- linkable
- high-quality $\frac{3}{4}$ " brass connection thread (ig) for the outlet tap
- fits a standard watering can up to 10 l under the outlet tap
- UV and weather resistant
- outlet opening for complete drainage before frost period
- all drainage openings pre-drilled
- manufactured using stress-free rotational molding
- high storage volume with minimal space requirements
- a true space-saving solution for your garden
- the tank is particularly large to easily water larger garden areas
- with its small footprint of 80 x 60 cm, the jumbo rainwater tank with 800 liters is a true space-saving solution for your garden
- compatible with Waterform accessories.



ARVĒS®



NEW

Insert



ROKO230 230 165

S429

- plastic insert
- serves as a sieve and simultaneously a filter
- preventing plant debris from entering

100 l
CAPACITY
FINEST QUALITY



Modena



RMO100 380 380 1000 100

S433 S443

200 l
CAPACITY
FINEST QUALITY



Modena



RMO200 575 575 1000 200

S433 S443

SPECIAL ORDER

7529U

- upper area can be filled with gravel individually
- includes a filtering insert
- fillable from the top with a classic rain flap or from the side with a rain collector
- linkable
- high-quality 3/4" brass connection thread (ig) for the outlet tap
- fits a standard watering can up to 10 l under the outlet tap (distance to the ground approx. 30 cm)
- UV and weather resistant
- outlet opening for complete drainage before the frost period
- all drainage openings pre-drilled
- manufactured using stress-free rotational molding.

350 l
CAPACITY
FINEST QUALITY



NEW

Modena



RMO350 690 690 1215 350

S433 S443

The product does not include a metal faucet.



The beauty
of water

ARVĒS®

460 l
CAPACITY
FINEST QUALITY

360 l
CAPACITY
FINEST QUALITY



300 l
CAPACITY
FINEST QUALITY



Maurano



RMU300 840 400 1180 300



- windproof lid
- optionally plantable (planting chamber can be cut out in the lid afterwards)
- child-safe lid
- linkable
- high-quality $\frac{3}{4}$ " brass connection thread (ig) for the outlet tap
- fits a standard watering can up to 10 l under the outlet tap (distance to the ground approx. 30 cm)
- UV and weather resistant
- outlet opening for complete drainage before frost period
- all drainage openings pre-drilled
- manufactured using stress-free rotational molding
- compatible with Waterform accessories.

230 l
CAPACITY
FINEST QUALITY



Arcado



RAR230 600 1050 230



Arcado



RAR360 600 1650 360



- windproof lid
- optionally plantable (planting chamber can be cut out in the lid afterwards)
- child-safe lid
- suitable for watering cans due to removable lid
- linkable
- high-quality $\frac{3}{4}$ " brass connection thread (ig) for the outlet tap
- fits a standard watering can up to 10 l under the outlet tap (distance to the ground approx. 30 cm)
- UV and weather resistant
- outlet opening for complete drainage before frost period
- all drainage openings pre-drilled
- manufactured using stress-free rotational molding
- compatible with Waterform accessories.

Arcado



RAR460 600 2000 460



The product does not include a metal faucet.



The beauty
of water

ARVĒS[®]



Concrete



RCO200	780	250	1050	200
--------	-----	-----	------	-----



- high-quality brass fittings
- UV and weather resistant
- all drainage openings pre-drilled
- two different perspectives
- linkable
- the concrete model is a particularly trendy rainwater tank for those who like to keep up with the times
- unobtrusive, elegant, and unique, the concrete rainwater tank fits perfectly into modernly designed gardens
- both sides of the rainwater tank have been intricately designed differently. decide which of the two sides you prefer and which you want to position outward
- compatible with Waterform accessories



Noblesse



RNB275	790	410	1050	275
--------	-----	-----	------	-----



- windproof lid
- optionally plantable
- child-safe lid
- linkable
- high-quality $\frac{3}{4}$ " brass connection thread (ig) for the outlet tap
- fits a standard watering can up to 10 l under the outlet tap (distance to the ground approx. 30 cm)
- UV and weather resistant
- outlet opening for complete drainage before the frost period
- all drainage openings pre-drilled
- manufactured using stress-free rotational molding
- compatible with Waterform accessories



Barletta



RBA280	800	400	1200	280
--------	-----	-----	------	-----



SPECIAL ORDER

2260C	2088U
-------	-------

- linkable
- high-quality $\frac{3}{4}$ " brass connection thread (ig) for the outlet tap
- fits a standard watering can up to 10 l under the outlet tap (distance to the ground approx. 30 cm)
- UV and weather resistant
- outlet opening for complete drainage before the frost period
- all drainage openings pre-drilled
- manufactured using stress-free rotational molding
- compatible with Waterform accessories

The product does not include a metal faucet.



The beauty
of water

ARVĒS®

NEW

Water supply point with a tap allows the user to draw water in the garden easily and conveniently.



Classico



RTWCL1 480 570 955

S433 105G 431UG

FINEST QUALITY



Classico



RTWCL2 500 580 935

S433 105G 431UG

FINEST QUALITY



Classico



RTWCL3 500 580 975

S433 105G 431UG

FINEST QUALITY



- rainwater fitted with a tap
- built-in drain outlet with stopper
- integrated quick connector for hose attachment
- stable ground-standing base

ARVĒS®



Modern



RTWM1 430 515 960



FINEST QUALITY



Modern



RTWM2 470 537 960



FINEST QUALITY



Freze



RTWF 530 374 1025



FINEST QUALITY



Freze Simple



RTWFS 280 1100



FINEST QUALITY

ARVĒS®

Water supply point with a tap allows the user to draw water in the garden easily and conveniently.



Claso S



FINEST QUALITY



Claso R



FINEST QUALITY



Natura



FINEST QUALITY



Poller



FINEST QUALITY



Romana



FINEST QUALITY



Forest



FINEST QUALITY

ARVĒS®




The beauty
of water

ARVĒS[®]



ARVĒS®


Accessories for Rainwater Tank Collection



Chrom Tap 3/4"



Threaded tap for decorative tanks
Intended exclusively for rainwater.



Brass Tap 3/4"



Threaded tap for decorative tanks
Intended exclusively for rainwater.



Closed tank connection Kit



A kit designed for installing a rainwater collector connection in enclosed tanks that are inaccessible from the interior.



Overflow elbow 3/4"



A kit utilized for the installation of an overflow connector in rainwater tanks to facilitate the transfer of excess water to another tank.



Hose adapter 3/4"

	mm	mm	mm
RCANS3	140	45	230
7015			

A kit used for installing a 3/4" connector onto a 25mm diameter pipe in rainwater tanks.



Hose adapter 1"

	mm	mm	mm
RCANS4	140	60	230
7015			


A kit utilized for installing a 1" threaded connector onto a 32mm diameter pipe in rainwater tanks.



Hose valve 1"

	mm	mm	mm
RCANS5	140	50	230
7015			

Threaded valve - Designed for rainwater collectors without the need for gutter disassembly.



Filter with valve

	mm	mm	mm
RCANS6	140	80	230
7015			



A valve fitted with a mesh filter, engineered to remove impurities within an internal basket.

Accessories for Rainwater Tank Collection



Connection Kit 1"

W	mm	mm	mm
RCANS7	235	55	435
7015			


A kit designed for connecting a rainwater tank to a 1" threaded gutter system. It can also be used for interconnecting two rainwater tanks.



Connection Kit 3/4"

W	mm	mm	mm
RCANS8	235	40	435
7015			

A kit specifically designed for linking two rainwater tanks together.



Easy Fix

W	mm	mm	mm
RCANS9	235	80	435
7015			

Rainwater tank collector, requiring no disassembly of downpipes.



Closed tank connection Set 1"

W	mm	mm	mm
RCANS10	235	50	435
7015			

A kit designed for connecting a rainwater tank to a 1" threaded gutter system.



Plug for the rainwater inspection hole.



Rain collector with tap



Rainwater harvesting kit from the gutter equipped with a basket filter and an additional valve for winter mode switching (on-off)



Easy Fix Comfort



Complete basic kit for rainwater tank connection without the necessity of disassembling downpipes.



Rain collector



Rainwater downpipe filter Efficient rainwater scoop, mounted directly on the downpipe, it filters and redirects water to the tank.



Exposure



Withdrawal set with hose 3/4"




Withdrawal set with hose, a hose with a drain tap. Transparent with a delicate blue tint.



catch rain water for outdoor chores

**The beauty
of water™**



Rain collector with tap



Rainwater harvesting kit from the gutter equipped with a basket filter and an additional valve for winter mode switching (on-off)



Rain collector



Rainwater downpipe filter
Efficient rainwater scoop, mounted directly on the downpipe, it filters and redirects water to the tank.





waterform

RAINDROP FOR BETTER TOMORROW

Product line dedicated
to environmental protection.

The rainwater tanks and the essential accessories have been designed with the environmental protection of our planet in mind.

The wide range of products focuses on storing rainwater in your own garden in the most efficient way possible, allowing you to fully independently water your garden with 100% rainwater.

With the Waterform products, watering flowers and vegetables will never be the same again as every drop collected during the rain will make our planet happier whenever there is a draught.



Gubo



IDGU320 580 580 1180 320

429U S433

- appearance of segmented blocks
- made from durable materials
- the material is resistant to damage
- temperature changes
- UV radiation
- features $\frac{3}{4}$ " connections on both the front and back for convenient water tap installation
- the possibility of connecting tanks together using the icans 8 kit



Gubo



IDGU350 595 595 1180 350

429U S433

- appearance of segmented blocks
- smooth neutral surface
- features $\frac{3}{4}$ " connections on both the front and back for convenient water tap installation
- UV radiation
- temperature changes
- the material is resistant to damage
- made from durable materials



Gubo



IDGU700 792 792 1367 700

429U S433

- appearance of segmented blocks
- made from durable materials
- the material is resistant to damage
- temperature changes
- UV radiation
- features $\frac{3}{4}$ " connections on both the front and back for convenient water tap installation



Gubo



IDGU1000 792 792 1960 1000

429U S433

- smooth neutral surface
- appearance of segmented blocks
- made from durable materials
- the material is resistant to damage
- uv radiation
- features $\frac{3}{4}$ " connections on both the front and back for convenient water tap installation
- 4 locations for holes to connect the tank to the gutter
- 3 threaded holes, each $\frac{3}{4}$ " in size, for connecting a faucet or garden hose
- 2 threaded bottom holes, each $\frac{3}{4}$ " in size, for overflow or complete drainage connection




waterform
RAINDROP FOR BETTER TOMORROW



Multitank



IMU250 790 380 1050 250

S433 422U 429U

- crafted from durable materials resistant to weathering and UV radiation
- space-saving for gardens
- features $\frac{3}{4}$ " connections on both the front and back for convenient water tap installation
- includes a side outlet for thorough drainage before frost sets in
- highlights uv and weather resistance
- offers dual perspectives
- designed to be expandable



Multitank



IMK250 790 380 1050 250

S433 422U 429U

- crafted from durable materials resistant to weathering and UV radiation
- space-saving for gardens
- features $\frac{3}{4}$ " connections on both the front and back for convenient water tap installation
- includes a side outlet for thorough drainage before frost sets in
- highlights uv and weather resistance
- offers dual perspectives
- designed to be expandable




waterform
RAINDROP FOR BETTER TOMORROW

350 |
CAPACITY



Tower Brick




IDTB350 575 384 1800 350

7587U

S433

- appearance of segmented blocks
- made from durable material
- the material is resistant to damage
- temperature changes
- UV radiation
- the possibility of connecting tanks together using the icans 8 kit

350 |
CAPACITY



Tower Stone



IDTST350 575 384 1800 350

429U

S433

- practical rainwater tank with segmented construction
- the front wall features a decorative stone motif
- includes a top opening with a cover
- four points are available to attach the gutter drain tube
- two threaded holes are provided for a tap or quick-release coupling
- the possibility of connecting tanks together using the icans 8 kit

500 |
CAPACITY



Tower Stone



IDTST500 775 583 1300 500

429U

S433

NEW



Wall Stone




IDWS400 1180 300 1840 400

429U

S433

- flat rainwater tank
- for mounting against the building wall
- without texture
- practical rainwater tank with segmented construction
- the front wall features a decorative stone motif
- two threaded holes are provided for a tap or quick-release coupling




waterform
RAINDROP FOR BETTER TOMORROW

350 l
CAPACITY



Aqua Tower



IDTC350 775 383 1350 350

429U

S433

- features a modernist shape, complementing modern house architecture
- includes a top opening with a cover
- provides four points to attach the gutter drain tube
- two threaded holes for a tap or quick-release coupling for mounting a garden hose
- the possibility of connecting tanks together using the icans 8 kit

450 l
CAPACITY



Aqua Tower



IDTC450 775 573 1150 450

429U

S433

- cubic form enhances the modern architecture of your house and surroundings, adding attractiveness.
- includes a top opening with a cover
- provides four points for attaching the gutter drain tube
- two threaded holes for a tap or quick-release coupling for mounting a garden hose
- the possibility of connecting tanks together using the icans 8 kit

650 l
CAPACITY



Aqua Tower



IDTC650 775 573 1650 650

429U

S433

- practical cubic shape
- largest capacity available in our product range
- enhances the modern architecture of your house and surroundings, adding attractiveness
- includes a top opening with a cover
- provides four points for attaching the gutter drain tube
- two threaded holes for a tap or quick-release coupling for mounting a garden hose
- the possibility of connecting tanks together using the icans 8 kit

NEW

400 l
CAPACITY



Aqua Wall



IDAW400 1180 300 1840 400

429U

S433



STRAP SECURING
THE RAINWATER TANK

- flat rainwater tank
- for mounting against the building wall
- without texture
- appearance of segmented blocks
- the material is resistant to damage
- temperature changes





waterform
RAINDROP FOR BETTER TOMORROW



Icans 8

An exceptionally practical and innovative set for connecting water tanks together. The system enables the quick collection of rainwater in two or more tanks with a single gutter connection.





assembly instruction



step 1.



step 2.



Aquabell



IDAB110S 570 570 1045 110
429U S433

base included

- outlet opening for complete drainage before frost period
- all drainage openings pre-drilled
- manufactured using stress-free rotational molding
- a true space-saving solution for your garden
- features $\frac{3}{4}$ " connections on both the front and back for convenient water tap installation
- smooth neutral surface

Aquabell



IDAB200S 580 580 1270 200
429U S433

base included

- outlet opening for complete drainage before frost period
- all drainage openings pre-drilled
- manufactured using stress-free rotational molding
- a true space-saving solution for your garden
- features $\frac{3}{4}$ " connections on both the front and back for convenient water tap installation
- smooth neutral surface

110 l
CAPACITY

200 l
CAPACITY



Vuelta



IDV110S 396 396 1305 110
429U S433

base included

- upper opening equipped with a removable lockable cover
- practical round shape with grooves
- 2 places for holes to connect the tank to the gutter
- features $\frac{3}{4}$ " connections on both the front and back for convenient water tap installation
- equipped with a removable, stable base on which the tank can be placed

110 l
CAPACITY

120 l
CAPACITY



Tenso



IDT120S 396 396 1305 120
429U S433


base included

- 2 places for holes to connect the tank to the gutter
- 3 Features $\frac{3}{4}$ " connections on both the front and back for convenient water tap installation
- upper opening equipped with a removable lockable cover
- equipped with a removable, stable base on which the tank can be placed.




waterform
RAINDROP FOR BETTER TOMORROW

250 l
CAPACITY



Botqua



IDB250 650 930 250

440U

- windproof lid
- realistic oak-wood effect surface (high-quality PE)
- removable lid suitable for watering cans
- linkable system for connecting multiple tanks
- high-quality $\frac{3}{4}$ " brass thread (IG) for outlet tap
- frost-resistant,
- UV-stable material

430 l
CAPACITY



Botqua



IDB430 795 1062 430

440U

- windproof lid
- realistic oak-wood effect surface (high-quality PE)
- removable lid suitable for watering cans
- linkable system for connecting multiple tanks
- high-quality $\frac{3}{4}$ " brass thread (IG) for outlet tap
- frost-resistant,
- UV-stable material



WOOD EFFECT FINISH

The design of the Velcan tank allows for rainwater collection without the need to connect it to a gutter, enabling the tank to independently serve a decorative function.



120 l
CAPACITY

NEW



Velcan

W Ø H L
mm mm mm

IDVE120 490 900 120

R736 S443 S433

- inspired by antique functional art.
- blending functionality with aesthetic appeal
- includes a filtering insert
- two mounting areas are provided for attaching the gutter drain pipe
- UV- and weather-resistant

230 l
CAPACITY

NEW



Velcan

W Ø H L
mm mm mm

IDVE230 590 1200 230

R736 S443 S433

- inspired by antique functional art.
- blending functionality with aesthetic appeal
- includes a filtering insert
- two mounting areas are provided for attaching the gutter drain pipe
- UV- and weather-resistant

NEW




waterform
RAINDROP FOR BETTER TOMORROW

210 l
CAPACITY



Baby Aquacan



ICAN210 596 560 1183 210

R736 S443 S433

- the smallest rainwater tank in the collection
- inspired by antique functional art.
- both functional and aesthetically appealing
- equipped with a lid featuring a locking mechanism
- comes with an insert for planting plants.
- two points are available for attaching the gutter drain tube
- two threaded holes are provided for a tap or quick-release coupling to mount a garden hose

360 l
CAPACITY



Aquacan



ICAN360 800 720 1200 360

R736 S443 S433

- shaped by inspiration from ancient greek applied arts.
- designed to be highly functional and aesthetically pleasing
- equipped with an upper opening and lid for convenient access.
- includes an insert for planting plants
- two mounting areas are provided for attaching the gutter drain pipe.
- two threaded holes are available for taps or quick-disconnect garden hoses.

440 l
CAPACITY



Aquacan



ICAN440 820 760 1280 440

R736 S443 S433

- boasts the largest capacity among the rainwater tanks in the collection.
- inspired by antique functional art.
- blending functionality with aesthetic appeal
- equipped with an upper opening and lid for convenient access.
- includes an insert for planting plants
- two mounting areas are provided for attaching the gutter drain pipe
- two threaded holes are available for taps or quick-disconnect garden hoses




waterform
RAINDROP FOR BETTER TOMORROW



Maze



IDMZ240 593 1140 240

S443 S433

- features an enhanced surface design with gently undulating horizontal grooves
- combines decorative appeal with functionality
- lid with an integrated flowerpot – perfect for seedling plants
- includes two connection points for attaching a gutter drainpipe
- two threaded holes for installing a tap or a quick-release coupling for a garden hose
- can be connected to other tanks using the icans 8 system

insert for flowers

230 l
CAPACITY



Tube



IDM230 593 1095 230

R736 S433

- two locations for connecting the tank to the gutter
- lid with an integrated flowerpot – perfect for seedling plants.
- perfectly smooth surface with delicate horizontal grooving.
- a combination of decorative appeal and functionality.
- possibility to connect multiple tanks using the icans 8 system

240 l
CAPACITY



Maze



IDMZ240NP 593 1140 240

S443 S433

- features an enhanced surface design with gently undulating horizontal grooves
- combines decoration and functionality
- equipped with a locking lid
- two attachment points available for connecting the gutter drain tube
- two threaded holes provided for a tap or quick-release coupling to mount a garden hose
- possibility of connecting tanks together using the icans 8 set

230 l
CAPACITY



Tube



IDM230NP 593 1095 230

R736 S433

- two locations for holes to connect the tank to the gutter
- features an enhanced surface design with gently undulating horizontal grooves
- combining decoration and functionality
- equipped with a lid featuring a locking mechanism
- possibility of connecting tanks together using the icans 8 set



Maze Cup



IPDM600 593 192 23,4

R736 S443 S433

- Maze Cap can be used as a rainwater tank insert
- it can also serve as a flowerpot, ideal for seedling plants
- the product serves as a flowerpot
- the product can be used independently or as an insert for a water tank





Canyon



S433

- drawing inspiration from the ancient amphora design
- features colors and textures resembling stone for added aesthetic appeal.
- equipped with an upper opening and lid
- two threaded holes provided for taps or quick-disconnect garden hoses
- a suitable choice for environmentally conscious individuals seeking to live in harmony with nature
- the possibility of connecting tanks together using the icans8 kit



Wallycan




R736 S433

- original shape and a clay-like texture reminiscent of ancient greek applied arts.
- it adds beauty to any garden
- equipped with an upper opening and lid
- two mounting areas provided for the gutter drain pipe
- two threaded holes available for taps or quick-disconnect garden hoses



Woodcar



R222 S41

- inspired by traditional wooden rainwater tanks
- it features a top opening with a cover
- single threaded hole for a tap or garden hose with a quick release coupling
- offers a practical solution for water storage
- the possibility of connecting tanks together using the icans 8 kit



Raincan



S411

- a trusted rainwater tank for saving water, utilized in garden plant watering and environmental care.
- equipped with an upper opening and lid
- its undeniable advantage lies in its simple
- modern design
- the possibility of connecting tanks together using the icans 8 kit

NEW




waterform
RAINDROP FOR BETTER TOMORROW

insert for flowers

210 l
CAPACITY

NEW



WATER TAP
WINTER
HOLE COVER

Oro

	 mm	 mm	 l
IDOR210	615	1130	210
 			

- fitted with a lockable lid that also functions as a planter
- two connection points for attaching a downpipe from the gutter
- two threaded openings for installing a tap or a quick-release coupling for a garden hose
- compatible with the iCans 8 set, allowing multiple tanks to be linked into a single system
- when using the dedicated ITAP2 tap, the additional nut supplied with the set is unnecessary — the tank features an integrated thread

210 l
CAPACITY



Smooth

W Ø mm ↕ mm L

IDSM210 753 865 210

429U S433 G851

- universal shape
- seamlessly blending into any garden style
- walls allow flexibility in drilling drain holes
- lid is equipped with additional protection against unwanted opening, especially by children
- consider additional waterform accessories for optimal water utilization
- the possibility of connecting tanks together using the icans 8 kit

310 l
CAPACITY

NEW



Smooth

W Ø mm ↕ mm L

IDSM310 800 1080 310

429U S433 G851

- universal shape
- seamlessly blending into any garden style
- walls allow flexibility in drilling drain holes
- lid is equipped with additional protection against unwanted opening, especially by children
- consider additional waterform accessories for optimal water utilization
- the possibility of connecting tanks together using the icans 8 kit

510 l
CAPACITY



Smooth

W Ø mm ↕ mm L

IDSM510 985 1105 510

429U S433 G851

- universal shape
- seamlessly blending into any garden style
- walls allow flexibility in drilling drain holes
- lid is equipped with additional protection against unwanted opening, especially by children
- consider additional waterform accessories for optimal water utilization
- the possibility of connecting tanks together using the icans 8 kit



160 l
CAPACITY



Smooth

W Ø H l

IDSM160 600 878 160

429U S433

- tank features a practical and simple form
- seamlessly blending into any garden style
- walls allow flexibility in drilling drain holes
- lid is equipped with additional protection against unwanted opening, especially by children.
- consider additional waterform accessories for optimal water utilization
- the possibility of connecting tanks together using the icans 8 kit

200 l
CAPACITY



Smooth

W Ø H l

IDSM200 600 1066 200

429U S433

- slim shape
- seamlessly blending into any garden style
- walls allow flexibility in drilling drain holes
- lid is equipped with additional protection against unwanted opening, especially by children
- consider additional waterform accessories for optimal water utilization
- the possibility of connecting tanks together using the icans 8 kit

260 |
CAPACITY



Peruno

W	Ø	mm	mm	l
IDPE260	720	970	260	
429U				S433

- modern form that complements house and garden architecture
- the ability to drill drain holes anywhere adds versatility
- the lid provides additional protection against unwanted opening, particularly by children
- consider additional equipment for maximizing water potential



3in1
STANDARD SET

Connection Set & Base
included



Full Filter Connection Set No. 7

Peruno Set

W	Ø	mm	mm	l
IDPE260S	720	1260	260	
429U				S433

- modern form that complements house and garden architecture
- the ability to drill drain holes anywhere adds versatility
- the lid provides additional protection against unwanted opening, particularly by children
- equipped with a complete water supply and drainage set
- gutter filter purifies rainwater
- a stable base facilitates easy pouring of water into a watering can or bucket






waterform
RAINDROP FOR BETTER TOMORROW

set contains:



NEW

5 psc




Modular Basecan Set



IBAS5S 200 200 430

S411



10 psc

B - type connectors



10 psc

C - type connectors



option:

B

$\varnothing 35,7 - 44,5$ cm



option:

C

$\varnothing 42,0 - 48,6$ cm



10 psc

D - type connectors



option:

D

$\varnothing 45,0 - 51,4$ cm

IBAS5S

base for rainwater tank

the set allows for the creation of one base with three diameters
bases with a diameter of 35,7 cm - 44,5 cm, 42 cm-48,6 cm and 45 cm- 51,4 cm





option:

E

$\varnothing 47,0 - 55,6$ cm




E - type connectors



12 psc



7 psc



option:

F

$\varnothing 60,0 - 67,3$ cm



F - type connectors



14 psc

IBAS6S

base for rainwater tank

the set allows for the creation of one base with two diameters
bases with a diameter of 47 cm - 55,6 cm and 60 cm - 67,3 cm

step 1.



step 2.



Modular
Basecan Set

W mm mm mm

IBAS6S 200 200 530

S411



Basecan



S433

complete your set with
rainwater tanks:

IDMZ240, IDM230, ICAN210,
ICAN360, ION310, IDWA270,
IDWO265, IDRA210, IDSM160,
IDSM200, IDSM210,
IDSM260

Basecan



S433

complete your set with
rainwater tanks:

IDMZ240, IDM230, ICAN210,
ICAN360, ICAN440, ION310,
IDWA270, IDWO265, IDRA210,
IDSM160, IDSM200, IDSM210,
IDPE260



NEW



NEW



Postumo



7541U

S433

Bela



ITWB

220 220 900

R222

S433

Tanker



ITWTAN

240 240 900

7541U


S433

Tanker water supply point with
a tap allows the user to draw
water in the garden easily and
conveniently.



Accessories for Rainwater Tank Collection

Cantap



ITAP1 – Tap to discharge water collected in the rainwater tank. The set consists of 3 elements: tap, gasket, nut. Fitted with an additional gasket and a nut, which makes it compatible with all rainwater tanks. The end of the tap is compatible with the garden hose.

S411

874C



Accessories for Rainwater Tank Collection


Cantap



ITAP2 – Tap to discharge water collected in the rainwater tank. The set consists of 3 elements: tap, gasket, nut. Fitted with an additional gasket and a nut, which makes it compatible with all rainwater tanks.

S411

874C



ICANBELT



S411

ICANBELT – Strap securing the rainwater tank

1. Mounting the strip on the upper wall of the rainwater tank.
2. Mounting the strip to the side wall of the rainwater tank.




Accessories for Rainwater Tank Collection

Tap



ITAP3 – Metal tap to discharge water collected in the rainwater tank. The set consists of 3 elements: metal tap, end connection, connection nozzle.



Connection Set No. 1



Accessories Set No. 3



Accessories Set No. 4



Water Dispenser Connection Set No. 5



Connection Set No. 6



Icanset 1



The connection is suitable for ARVĒS products

The connection is suitable for Waterform products



Icanset 3



The accessories are suitable for ARVĒS products

The accessories are suitable for Waterform products



Icanset 4



The accessories are suitable for ARVĒS products

The accessories are suitable for Waterform products



Icanset 5



The connection is suitable for ARVĒS products

The connection is suitable for Waterform products



Icanset 6



The connection is suitable for ARVĒS products

The connection is suitable for Waterform products



Full Filter Connection Set No. 7



Icanset 7



ICANS7 400 70 290

The accessories are suitable for ARVĒS products

The accessories are suitable for Waterform products



Connection Set No. 8



Icanset 8



ICANS8 300 50 370

The connection is suitable for ARVĒS products

The connection is suitable for Waterform products



Connecting Outer Filter



Outer Filter



IFILZ 180 70 210

The connection is suitable for ARVĒS products

The connection is suitable for Waterform products



Connection Gutter Filter



Gutter Filter set



IFILWS 300 120 360

The connection is suitable for ARVĒS products

The connection is suitable for Waterform products



Gutter Filter




Gutter Filter



IFILW 1 300 120 360

universal filter
for all gutter types
Ø 76 - 112 MM




selected models designed
with space to hang
the hose back

universal filter for all
gutter types



catch rain water for outdoor chores




Connection Gutter Filter



Gutter Filter



Connecting Outer Filter



set contains 6 elements



Connection Set No. 1

Icanset 1



ICANS1 – Connection system designed to collect and transfer water to the rainwater tank. The set includes 6 elements: holesaw; reducer; hose; water catcher. Versatile product, its simple design ensures quick installation and easy access without much interference with the gutter. Product compatible with the IFILZ external filter.



set contains 5 elements



Accessories Set No. 3


ICANSET 3



ICANS3 – Rainwater supply and discharge system. The tap is provided with an additional gasket and a nut, which makes it compatible with all Waterform rainwater tanks. The set includes 5 elements: reducer; water catcher; tap.



set contains 5 elements



Accessories Set No. 4

Icanset 4




ICANS4 180 45 230

ICANS4 – System to discharge water collected in the rainwater tank. The set includes 5 elements: tap; universal connectors; spout; hanger. The spout is compatible with the MAZE; TUBE; SMOOTH; PERUNO tanks. The tap is fitted with an additional gasket and a nut, which makes it compatible with all Waterform rainwater tanks.



set contains 5 elements



Water Dispenser Connection Set No. 5

Icanset 5



ICAN55 – System to discharge water collected in the rainwater tank. The set includes 5 elements: tap; garden hose connector; hose; spout; hanger.



set contains 6 elements



Connection Set No. 6



Icanset 6



ICANS6 – Connection system designed to collect and transfer water to the rainwater tank. The set consists of 6 elements: holesaw; reducer; garden hose; water catcher. Very versatile product, its simple design ensures quick installation and easy access without much interference with the gutter.





set contains 4 elements



Connection Set No. 8

Icanset 8



ICANS8 – Connection system designed to distribute water from tank A to tank B. The set consists of 4 elements: holesaw; two connectors; hose. Very versatile product, its simple design ensures quick installation.



set contains 3 elements



Connecting Outer Filter


Outer Filter




IFILZ 180 70 210

IFILZ – External filter designed to filter water entering the rainwater tank. The set consists of 3 elements: lid; filter; external housing. Product compatible with the ICANSI set. The filter is installed between the water catcher and the reducer.









ARVĒS®


waterform
RAINDROP FOR BETTER TOMORROW



Compatibility
of Bases
and
Water Tanks





waterform

RAINDROP FOR BETTER TOMORROW





Basecan

	\emptyset	mm	mm
IBAS	512	230	
	\$433		



5 psc

Modular Basecan Set



IBAS5S 200 200 430

S411

IBAS6S
base for rainwater tank
the set allows for the creation of one base with two diameters
bases with a diameter of 47 cm - 55,6 cm and 60 cm - 67,3 cm



Basecan

	mm	\emptyset	mm
IBAS2	608	310	
	\$433		



7 psc

Modular Basecan Set



IBAS6S 200 200 530

S411

IBAS5S
base for rainwater tank
the set allows for the creation of one base with three diameters
bases with a diameter of 35,7 cm - 44,5 cm, 42 cm-48,6 cm and 45 cm- 51,4 cm



5 psc



option:


B
 $\emptyset 35,7 - 44,5$ cm



option:
C
 $\emptyset 42,0 - 48,6$ cm



option:
D
 $\emptyset 45,0 - 51,4$ cm



5 psc



option:

B
 $\emptyset 35,7 - 44,5$ cm



option:
E
 $\emptyset 47,0 - 55,6$ cm



option:
F
 $\emptyset 60,0 - 67,3$ cm



5 psc



option:


B
 $\emptyset 35,7 - 44,5$ cm



option:
C
 $\emptyset 42,0 - 48,6$ cm



option:
D
 $\emptyset 45,0 - 51,4$ cm



5 psc



option:


B
 $\emptyset 35,7 - 44,5$ cm



option:
C
 $\emptyset 42,0 - 48,6$ cm



option:
D
 $\emptyset 45,0 - 51,4$ cm



5 psc



option:


B
 $\emptyset 35,7 - 44,5$ cm



option:
C
 $\emptyset 42,0 - 48,6$ cm



option:
D
 $\emptyset 45,0 - 51,4$ cm



5 psc



option:


B
 $\emptyset 35,7 - 44,5$ cm



option:
C
 $\emptyset 42,0 - 48,6$ cm



option:
D
 $\emptyset 45,0 - 51,4$ cm



5 psc



option:


B
 $\emptyset 35,7 - 44,5$ cm



option:
C
 $\emptyset 42,0 - 48,6$ cm



option:
D
 $\emptyset 45,0 - 51,4$ cm



5 psc



option:


B
 $\emptyset 35,7 - 44,5$ cm



option:
C
 $\emptyset 42,0 - 48,6$ cm



option:
D
 $\emptyset 45,0 - 51,4$ cm



5 psc



option:


B
 $\emptyset 35,7 - 44,5$ cm



option:
C
 $\emptyset 42,0 - 48,6$ cm



option:
D
 $\emptyset 45,0 - 51,4$ cm



5 psc



option:


B
 $\emptyset 35,7 - 44,5$ cm



option:
C
 $\emptyset 42,0 - 48,6$ cm



option:
D
 $\emptyset 45,0 - 51,4$ cm



5 psc



option:


B
 $\emptyset 35,7 - 44,5$ cm



option:
C
 $\emptyset 42,0 - 48,6$ cm



option:
D
 $\emptyset 45,0 - 51,4$ cm



5 psc



option:


B
 $\emptyset 35,7 - 44,5$ cm



option:
C
 $\emptyset 42,0 - 48,6$ cm



option:
D
 $\emptyset 45,0 - 51,4$ cm



5 psc



option:


B
 $\emptyset 35,7 - 44,5$ cm



option:
C
 $\emptyset 42,0 - 48,6$ cm



option:
D
 $\emptyset 45,0 - 51,4$ cm



5 psc



option:


B
 $\emptyset 35,7 - 44,5$ cm



option:
C
 $\emptyset 42,0 - 48,6$ cm



option:
D
 $\emptyset 45,0 - 51,4$ cm



5 psc



option:


B
 $\emptyset 35,7 - 44,5$ cm



option:
C
 $\emptyset 42,0 - 48,6$ cm



option:
D
 $\emptyset 45,0 - 51,4$ cm



5 psc



option:


B
 $\emptyset 35,7 - 44,5$ cm



option:
C
 $\emptyset 42,0 - 48,6$ cm



option:
D
 $\emptyset 45,0 - 51,4$ cm



5 psc



option:


B
 $\emptyset 35,7 - 44,5$ cm



option:
C
 $\emptyset 42,0 - 48,6$ cm



option:
D
 $\emptyset 45,0 - 51,4$ cm



5 psc



option:


B
 $\emptyset 35,7 - 44,5$ cm



option:
C
 $\emptyset 42,0 - 48,6$ cm



option:
D
 $\emptyset 45,0 - 51,4$ cm



5 psc



option:


B
 $\emptyset 35,7 - 44,5$ cm



option:
C
 $\emptyset 42,0 - 48,6$ cm



option:
D
 $\emptyset 45,0 - 51,4</math$



underground rainwater tank

The **UNGROUND R LINE** rainwater tank series is dedicated to collecting, storing and then distributing rainwater. It is an optimal solution for home users to irrigate vegetation. Rainwater can also be used for other activities and chores when running a household.

Our tanks are made in rotomoulding technology, which ensures their complete tightness and durability. The material used for their production is HDPE with a high content of recycled material, which makes them environmentally friendly.

The functionality and durability of our rainwater tanks have been certified by the Institute of Technology and Life Sciences.

Its durability did not prevent it from being low in weight, which is a great advantage during their assembly. Each of the tanks is equipped with an inspection hole and an assembly hatch. Specially profiled bottom allows the installation of tanks in areas with the possibility of high groundwater.

We offer capacities from 1,000 to 7,000 litres.
Our rainwater tanks, if necessary, can be equipped with the following elements:

- absorbing well
- drainage tunnel
- leaf separator
- extension for the rainwater tank
- irrigation pump



RAINWATER HARVESTING

NEW



waterform
RAINDROP FOR BETTER TOMORROW

1000 l
CAPACITY



Unground R-1000

	mm	mm	mm	kg	pcs	
RUT1000	1850	900	1190	1000	~50	~30
RUT1000C	1850	900	1190	1000	~50	~30

2000 l
CAPACITY



Unground R-2000

	mm	mm	mm	kg	pcs	
RUT2000	2200	1200	1490	2000	~85	~24
RUT2000C	2200	1200	1490	2000	~85	~24

3000 l
CAPACITY



Unground R-3000

	mm	mm	mm	kg	pcs	
RUT3000	2400	1370	1640	3000	~110	~10
RUT3000C	2400	1370	1640	3000	~110	~10

The entire tank is reinforced with sturdy vertical ribs, and the rounded bottoms are additionally strengthened with a horizontal rib. Each wall of the tank has two carrying handles, and the lower part has slots to insert the forks of a forklift truck. Two round inspection hatches with extension rings and covers are located on the top of the tank. Mounting the cover to the tank with 4 mounting screws prevents direct access to the tank. A 110 mm diameter seal-mounted PVC supply pipe is fixed to the smaller 400 mm diameter inlet extension ring of the manhole. Under the extension ring there is also a 290 mm diameter hole with a filter screen. The larger of the manholes is 600 mm in diameter. There is a flat surface in the outlet section of the tank where the drain is installed. It consists of a 110 mm diameter PVC pipe and a siphon mounted to it consisting of three 110 mm PVC elbows and a pipe.

The tank may only be installed in pedestrian areas.

Konstrukcję całego zbiornika wzmacniono solidnymi pionowymi żebrowaniami, a zaokrąglone dennice dodatkowo żebrem poziomym. Każda ze ścian zbiornika wyposażona jest w dwa uchwyty transportowe, zaś w jego dolnej części znajdują się wycięcia pod widły wózka widłowego. W górnej części zbiornika znajdują się dwa okrągłe wływy inspekcyjne z nadstawkami i pokrywami. Montaż pokrywy do zbiornika za pomocą 4 wkrętów montażowych uniemożliwia bezpośredni dostęp do zbiornika. W mniejszej wlotowej nadstawkie wływu o średnicy 400 mm zamocowana jest rura dopływna PCV o średnicy 110 mm, osadzona na uszczelce. Pod nadstawką znajduje się również otwór o średnicy 290 mm zitem filtracyjnym. Większy z włyów ma średnicę 600 mm. W części wylotowej zbiornika znajduje się wypłaszczenie, na którym zamontowany jest odpływ. Składa się on z rury PCV o średnicy 110 mm oraz osadzonego na niej syfonu składającego się z 3 kolan PCV 110 mm oraz rury.


Zbiornik może być montowany wyłącznie w miejscach przeznaczonych do ruchu pieszego.



Certificate Attestation

Standard set

All components are complete
with rainwater tank



5000 l
CAPACITY



set contains:
zestaw zawiera:



Unground R-5000

	mm	mm	mm	kg	pcs
RUT5000	2400	2400	1480	5000	~200
RUT5000C	2400	2400	1480	5000	~200

7000 l
CAPACITY



set contains:
zestaw zawiera:



Unground R-7000

	mm	mm	mm	kg	pcs
RUT7000	3280	2400	1520	7000	~295
RUT7000C	3280	2400	1520	7000	~295

The entire tank is reinforced with sturdy vertical ribs. The lower part has slots to insert the forks of a forklift truck. Two round inspection hatches with extension rings and covers are located on the top of the tank. Mounting the cover to the tank with 4 mounting screws prevents direct access to the tank. A 110 mm diameter seal-mounted PVC supply pipe is fixed to the smaller 400 mm diameter inlet extension ring of the manhole. Under the extension ring there is also a 290 mm diameter hole with a filter screen. The larger of the manholes is 600 mm in diameter. There is a flat surface in the outlet section of the tank where the drain is installed. It consists of a 110 mm diameter PVC pipe and a siphon mounted to it consisting of three 110 mm PVC elbows and a pipe. **The tank may only be installed in pedestrian areas.**

Konstrukcję całego zbiornika wzmacniono solidnymi pionowymi żebrowaniami. W jego dolnej części znajdują się wycięcia pod widły wózka widłowego. W górnej części zbiornika znajdują się dwa okrągłe włazy inspekcyjne z nadstawkami i pokrywami. Montaż pokrywy do zbiornika za pomocą 4 wkrętów montażowych uniemożliwia bezpośredni dostęp do zbiornika. W mniejszej wlotowej nadstawce włazu o średnicy 400 mm zamocowana jest rura dopływową PCV o średnicy 110 mm, osadzona na uszczelce. Pod nadstawką znajduje się również otwór o średnicy 290 mm zitem filtracyjnym. Większy z włazów ma średnicę 600 mm. W części wylotowej zbiornika znajduje się wypłaszczenie, na którym zamontowany jest odpływ. Składa się on z rury PCV o średnicy 110 mm oraz osadzonego na niej syfonu składającego się z 3 kolan PCV 110 mm oraz rury.

Zbiornik może być montowany wyłącznie w miejscach przeznaczonych do ruchu pieszego.



Certificate Attestation

Standard set

All components are complete
with rainwater tank





Unground R-Drain 150

	mm	mm	mm	mm	kg	pcs
RUR150	1200	760	330	150	~8	30



Unground R-Drain 500

	mm	mm	mm	mm	kg	pcs
RUR500	1200	1200	950	500	~20	5 MAX PAL



Unground R-Drain 1000

	mm	mm	mm	mm	kg	pcs
RUR1000	1400	1400	1250	1000	~40	5 MAX PAL

The construction is reinforced with sturdy ribbing and a horizontal lug (the so-called fin) at the bottom of the base which prevent the tunnel from collapsing when covered with a layer of ground. The inlet mounting lug on the front and rear wall of the tunnel allows the installation of a sewage pipe to supply waste water and rainwater, or a combination of several tunnels into a single drainage line. A 110 mm diameter drainage pipe should be placed inside the tunnel, which allows the waste water to spread evenly over the entire length of the tunnel. To ensure adequate ground oxygenation under the drainage tunnel, connect the vent pipe to the final tunnel in the drainage line, take it above ground level and close with an aeration head. The tunnels are connected with PVC-U sewer fittings and drainage pipes which are also made of PVC-U.

Konstrukcja wzmocniona solidnym żebrowaniem oraz poziomy występ (tzw. pletwa) w dolnej części podstawy zapobiegają zapadaniu się tunelu po przykryciu go warstwą gruntu. Wlotowy występ montażowy na przedniej i tylnej ścianie tunelu umożliwia montaż rury kanalizacyjnej, doprowadzającej wody opadowe lub połączenie kilku tuneli w jeden ciąg drenarski. Wewnątrz tunelu należy umieścić rurę drenarską o średnicy 110 mm, która umożliwia równomierny rozpływ wody na całej długości tunelu. Aby zapewnić odpowiednie natlenienie gruntu pod tunelem rozsączającym, należy do ostatniego tunelu w ciągu drenarskim podłączyć za pomocą studzienki zamykającej rurę wywiewną, wyprowadzić ją ponad poziom gruntu i zamknąć grzybkiem napowietrzającym. Łączenie tuneli odbywa się za pomocą kształtek kanalizacyjnych wykonanych z PVC-U oraz rur drenarskich również wykonanych z PVC-U.

The open-bottom absorbing well has 24 markers on its side walls to allow draining holes of up to 76 mm in diameter to be made.


At the top of the well there is a 50 mm diameter chimney to supply air inside the well and a 400 mm diameter inspection hole designed for mounting extension rings. There are also four mounting lugs on the well's wall to connect the rainwater drain, the waste water supply duct or to combine the absorbing wells into a larger drainage system using a 110 mm or 160 mm drain pipe. The wells are connected with PVC-U sewer fittings.

Studnia chłonna o otwartym dnie posiada na bocznych ścianach 24 znaczniki umożliwiające wykonanie otworów rozsączających o średnicy do 76 mm.

W górnej części studni znajduje się kominek o średnicy 50 mm doprowadzający powietrze do jej wnętrza oraz otwór inspekcyjny o średnicy 400 mm, przygotowany pod montaż nadstawek.

Na ścianie studni znajdują się również cztery występy montażowe, umożliwiające podłączenie odpływu wód deszczowych, lub połączenie studni chłonnych w większy system drenarski,

z wykorzystaniem rury kanalizacyjnej o średnicy 110 mm lub 160 mm. Łączenie studni odbywa się za pomocą kształtek kanalizacyjnych wykonanych z PVC-U.



Unground Cover

W	↔	↙	↖	↓	set	h
mm	mm	mm	pcs	h		
RUC400	510	510	30	120	~1,23 m	
RUC600	710	710	30	60	~1,24 m	

Spare parts for tanks and drainage wells. The construction of the cover is reinforced underneath with a ring and 9 lateral ribs. There are four holes on the convex surface for securing the cover to the extension ring with mounting screws which, in turn, prevents direct access to the tank.

Konstrukcję pokrywy wzmacniono od spodu pierścieniem i 9 poprzecznymi żebrowaniami. Na wypukłej powierzchni znajdują się cztery otwory umożliwiające przy mocowanie pokrywy do nadstawki za pomocą wkrętów montażowych, co z kolei uniemożliwia bezpośredni dostęp do zbiornika.



Unground Extension

W	↔	↙	↖	↓	set	h
mm	mm	mm	pcs	h		
RUE400	510	510	210	20	~2,15 m	
RUE600	710	710	210			

Spare parts for tanks and drainage wells. The construction of the extension ring is reinforced with horizontal ribs. The side wall has four flat surfaces that allow inlet holes to be drilled and the 110 mm supply pipes and seals to be installed. The bottom edge of the extension ring is the tank mounting flange. The flange at the top of the ring allows the cover to be attached.

Konstrukcję pierścienia nadstawki wzmacniono poziomymi żebrowaniami. Ścianę boczną wypośażono w cztery wypłaszczenia, umożliwiające wywiercenie w nich otworów wlotowych i zainstalowanie rur dopływnych o średnicy 110 mm wraz z uszczelkami. Dolną krawędź nadstawki stanowi kołnierz mocujący do zbiornika. Kołnierz w górnej części nadstawki umożliwia przy mocowanie do niej pokrywy. Nadstawkę do zbiornika montuje się przy pomocy wkrętów.





Unground Filter

W	↔	↙	↖	↓	set	h
mm	mm	mm	pcs	h		
RUF	305	305	240	-	25	150 ~1,35m

Basket filter developed to catch small impurities flowing with water from the roof. Made of durable and flexible material. Flexible handle makes it easy to remove the basket from the tank. The filter is designed for the entire collection of Unground R rainwater tanks.

Filtr koszowy wychwytyujący drobne zanieczyszczenia płynące z wodą z dachu. Wykonany z trwałego i elastycznego materiału. Elastyczny uchwyt ułatwia wyjmowanie kosza ze zbiornika. Filtr przeznaczony jest do całej kolekcji zbiorników Unground R.





Unground Accessories

W	mm	mm	mm	set	pcs	pcs	h
RUA1	510	620	210	1	5	30	~1,92m



Unground Pipe R-1000

W	mm	mm	mm	set
RUP1000	2000	110	110	4



Unground Pipe R-2000

W	mm	mm	mm	set
RUP2000	2000	110	110	4



Unground Pipe RD-2000

W	mm	mm	mm	set
RUD2000	2000	110	110	1


USE OF RAINWATER









DIY Cable grommet hole



RAINWATER HARVESTING



over 90 countries worldwide



Constantly launching an innovative, diversified and high quality products and being a reliable partner, we managed to succeed on the market in different parts of the world.

Currently our products are successfully distributed to more than 90 countries worldwide and the number of satisfied customers is increasing each year!

Wszystkie prawa zastrzeżone przez Prosperplast 1 Spółka z o.o., a zawartość nie może być powielana, pobierana, rozpowszechniana, publikowana lub przekazywana w jakiekolwiek formie i w jakikolwiek sposób, bez uprzedniej pisemnej zgody Prosperplast 1 Spółka z o.o.

Niniejszy katalog nie stanowi oferty w rozumieniu obowiązujących przepisów. Za błędy w druku nie odpowiadamy.

All rights are reserved by Prosperplast 1 Spółka z o.o. and content may not be reproduced, downloaded, disseminated, published, or transferred in any form or by any means, except with the prior written permission of Prosperplast 1 Spółka z o.o.

This catalogue does not constitute an offer within the meaning of applicable rules. We are not responsible for printing errors.

Contact us

Poland

Headquarter, Production & Warehouse

Prosperplast 1 Sp. z o. o.
Wilkowska 968
43-378 Rybarzowice
Poland

tel. +48 33 817 70 03
fax +48 33 817 60 81

biuro@prosperplast.pl
office@prosperplast.pl
www.prosperplast.pl

Germany

Headoffice

Prosperplast Deutschland GmbH
Hopfenstraße 22a
85283 Wolnzach
Germany

tel. +49 8442 9628499
fax +49 8442 9680853

kontakt@prosperplast.de
www.prosperplast.de

Czech Republic

Office & Warehouse

Prosperplast s.r.o.
CTPark Tošanovice
739 53 Horní Tošanovice
Czech Republic

tel. +420 553 034 443
mob +420 605 499 544

info@prosperplast.cz
www.prosperplast.cz


Hungary

Office

Prosperplast Kft.
1136-H Budapest,
Tátra u. 5/a, alagsor 2.
Magyarország
Hungary

mob +36 30 4095 710
mob +36 30 2855 886

office@prosperplast.hu
www.prosperplast.hu



ARVĒS®



Prosperplast 1 Sp. z o.o.
Wilkowska 968
43-378 Rybarzowice
Poland

Feel free to place your order via B2B

WAT26.1

Nr BDO – 0000015600