



ARVĒS[®]



waterform

RAINDROP FOR BETTER TOMORROW

COLLECTION 2026

Colour palette

440U	umber	7037	steel
8011	dark brown	7015	light basalt
R222	brown	7021	dark graphite
R736	terracotta	S433	anthracite
7501U	straw yellow	S433	anthracite granite
7501U	straw yellow granite	2260C	sage
7529U	mocca	G851	forest green
874C	old gold	G851	forest green granite
7587U	rustick brick	S411	black
4C	cool gray	B411	black granite
4C	cool gray granite	2088U	lavender
7541U	granite		
429U	smooth gray		
429U	smooth gray granite		
431UG	granite grit		
422U	concrete		
S443	gray		
S443	gray granite		

Designation

Designations in the tables [pictographs]

	symbol
	length - mm
	width - mm
	height - mm
	diameter - mm
	capacity
	polybag quantity
	carton quantity
	number of pieces on a Europalette
	height pallet - m
	truck quantity



AI MODIFIED

ARVĒS®



Tubo
RWT120

p. 8 - 9



Montana
RMT225

p. 10 - 11



Boxy
RWB270

p. 14 - 15



Novara
RNV500

p. 16 - 17



Evergreen Lite
REL300

p. 20 - 21



Tubo
RWT210

p. 8 - 9

NEW



Stone Block
RSB270

p. 12 - 13



Boxy
RWB720

p. 14 - 15



Alana
RALA160

p. 18 - 19



Little Tree
RLT250

p. 20 - 21



Tubo
RWT320

p. 8 - 9

NEW



Stone Block
RSB400

p. 12 - 13



Freze
RWW290

p. 16 - 17



Rainbowl
RRA210

p. 18 - 19



Norway
RNO230

p. 22 - 23



Drop
RWD200

p. 10 - 11



Tower
RWK260

p. 14 - 15



Freze
RWW410

p. 16 - 17



Flower
RRAF150

p. 18 - 19



Rustico
RRU275

p. 22 - 23



Drop
RWD410

p. 10 - 11



Tower
RWK720

p. 14 - 15



Novara
RNV280

p. 16 - 17



Evergreen
REV475

p. 20 - 21



Barrique
RBQ250

p. 24 - 25



Burgund
RBU500

p. 24 - 25



Helena
RHEL300

p. 26 - 27



Trentino
RTR275

p. 26 - 27



Jumbo
RJU800

p. 26 - 27



Modena
RMO100

p. 28 - 29



Modena
RMO200

p. 28 - 29



Modena
RMO350

p. 28 - 29



Maurano
RMU300

p. 30 - 31



Arcado
RAR230

p. 30 - 31



Arcado
RAR360

p. 30 - 31



Arcado
RAR460

p. 30 - 31



Concrete
RCO200

p. 32 - 33



Noblesse
RNB275

p. 32 - 33



Barletta
RBA280

p. 32 - 33



Garden post

p. 34 - 37



Accessories

p. 38 - 43



ARVÈS®



Gubo
IDGU320

p. 46 - 47



Multitank
IMU250

p. 48 - 49



Aqua Tower
IDTC350

p. 52 - 53



Aquabell
IDAB200S

p. 56 - 57



Velcan
IDVE120

p. 60 - 61



Gubo
IDGU350

p. 46 - 47



Tower Brick
IDTB350

p. 50 - 51



Aqua Tower
IDTC450

p. 52 - 53



Vuelta
IDV110S

p. 56 - 57



Velcan
IDVE230

p. 60 - 61



Gubo
IDGU700

p. 46 - 47



Tower Stone
IDTST350

p. 50 - 51



Aqua Tower
IDTC650

p. 52 - 53



Tenso
IDT120S

p. 56 - 57



Aquacan Baby
ICAN210

p. 62 - 63



Gubo
IDGU1000

p. 46 - 47



Tower Stone
IDTST500

p. 50 - 51



Aqua Wall
IDAW400

p. 52 - 53



Botaqua
IDB250

p. 58 - 59



Aquacan
ICAN360

p. 62 - 63



Multitank
IMK250

p. 48 - 49



Wall Stone
IDWS400

p. 50 - 51



Aquabell
IDAB110S

p. 56 - 57



Botaqua
IDB430

p. 58 - 59



Aquacan
ICAN440

p. 62 - 63



Maze
IDMZ 240

p. 64 - 65



Wallycan
IDWA270

p. 66



NEW

Smooth
IDSM310

p. 68



Peruno Set
IDPE260S

p. 70 - 71

Compatibility
of Bases
and Water Tanks
p. 90 - 93



Tube
IDM 230

p. 64 - 65



Woodcan
IDWO265

p. 66



Smooth
IDSM510

p. 68



Modular Basecan
IBAS5S, IBAS6S

p. 72 - 73



Maze
IDMZNP 240

p. 64 - 65



Raincan
IDRA210

p. 66



Smooth
IDSM160

p. 69



Basecan
IBAS

p. 74



Tube
IDMN230

p. 64 - 65



NEW

Oro
IDOR210

p. 67



Smooth
IDSM200

p. 69



NEW

Garden post

p. 74



Canyon
ION310

p. 66



Smooth
IDSM210

p. 68



Peruno
IDPE260

p. 70 - 71



Accessories

p. 75 - 89


waterform
RAINDROP FOR BETTER TOMORROW

underground rainwater tank



Unground R-1000
RUT1000

p. 96 - 97



Unground R-Drain 150
RUR150

p. 100



Unground Filter
RUF

p. 101



Unground R-2000
RUT2000

p. 96 - 97



Unground R-Drain 500
RUR500

p. 100



Unground Accessories
RUAI

p. 102 - 103



Unground R-3000
RUT3000

p. 96 - 97



Unground R-Drain 1000
RUR1000

p. 100



Unground Pipe R
RUP1000 / 2000

p. 102 - 103



Unground R-5000
RUT5000

p. 98 - 99



Unground Cover
RUC400 / 600

p. 101



Unground R-7000
RUT7000

p. 98 - 99



Unground Extension
RUE400 / 600

p. 101

ARVÈS®

**Product line dedicated
to environmental protection.**

Functional rainwater tanks made of high-quality materials in the most advanced technology, ensuring stiffness, ultra-strength, resistance to low and high temperatures and UV radiation.

The products are designed to fit into both classic and modern garden arrangements.

By producing rainwater tanks, we support environmental protection activities. We use recycled materials and all our products are 100% recyclable.

120 l
CAPACITY
FINEST QUALITY



Tubo



RWT120	470	1050	120
--------	-----	------	-----



210 l
CAPACITY
FINEST QUALITY



Tubo



RWT210	570	1325	210
--------	-----	------	-----



320 l
CAPACITY
FINEST QUALITY



Tubo



RWT320	670	1550	320
--------	-----	------	-----



- suitable for watering cans due to removable lid
- linkable
- high-quality ¾" brass connection thread (ig) for the outlet tap
- fits a standard watering can up to 10L under the outlet tap
- UV and weather resistant
- outlet opening for complete drainage before the frost period
- all drainage openings pre-drilled
- manufactured using stress-free rotational molding
- the tank contains a planting tray, allowing rainwater tanks to be used without a lid
- high-quality material with an aesthetic groove pattern
- compatible with Waterform accessories.

The product does not include a metal faucet.





ARVĒS®

200 l
CAPACITY
FINEST QUALITY



Drop

W	Ø	↓	IL
mm	mm		
RWD200	570	1205	200
S433	431UG	7501U	

- linkable
- high-quality ¾" brass connection thread (ig) for the outlet tap
- fits a standard watering can up to 10L under the outlet tap
- UV and weather resistant
- outlet opening for complete drainage before the frost period
- all drainage openings pre-drilled
- manufactured using stress-free rotational molding
- rainwater tank inspired by the shape of a water drop with neutral colors, ideal for modern gardens
- high-quality material with aesthetic groove pattern
- compatible with Waterform accessories.

410 l
CAPACITY
FINEST QUALITY



Drop

W	Ø	↓	IL
mm	mm		
RWD410	760	1415	410
S433	431UG	7501U	

225 l
CAPACITY
FINEST QUALITY



Montana

W	↔	↗	↓	IL
mm	mm	mm		
RMT225	960	400	1360	225
S433	422U			

- natural stone-like form
- unique sculpted detail
- high-quality ¾" brass connection thread (IG) for the outlet tap
- uvand weather resistant
- outlet opening for complete drainage before frost period
- all drainage openings pre-drilled
- compatible with WATERFORM accessories



The product does not include a metal faucet.

The beauty
of water



ARVĒS


The product is delivered fully assembled.

set  270 l
CAPACITY
FINEST QUALITY

NEW



Stone Block



- original form and shape
- multifunctional and capacious rainwater tank
- modern design
- modules connect with other sets from the Stone Block series

The product features an original form and shape, designed to blend functionality with aesthetics. It includes a multifunctional and spacious rainwater tank, ideal for efficient water storage and conservation. The modern design not only enhances the visual appeal but also supports practical usability. Additionally, the modules are designed to seamlessly integrate with other sets from the Stone series, facilitating customizable and flexible arrangements to suit diverse garden layouts and styles.

The product is delivered fully assembled.

set  400 l
CAPACITY
FINEST QUALITY

NEW



Stone Block



Accessories recommended

Withdrawal set with hose 3/4" p. 39




not included

38 x 38 x 38 cm

A1



A2



78 x 38 x 38 cm


B1



B2



air release



Illustrative drawing of the assembly of water tank component.



The beauty
of water



AI MODIFIED

ARVĒS

260 l
CAPACITY
FINEST QUALITY



Tower



RWK260	575	390	1310	260
--------	-----	-----	------	-----

431UG

- linkable
- high-quality $\frac{3}{4}$ " brass connection thread (ig) for the outlet tap
- fits a standard watering can up to 10 l under the outlet tap
- UV and weather resistant
- outlet opening for complete drainage before the frost period
- all drainage openings pre-drilled
- manufactured using stress-free rotational molding
- large-volume rainwater tanks made of robust plastic with an aesthetic, natural stone look
- the high-quality appearance complements modern architectural trends
- compatible with Waterform accessories.

720 l
CAPACITY
FINEST QUALITY



Tower



RWK720	790	590	1800	720
--------	-----	-----	------	-----

431UG

270 l
CAPACITY
FINEST QUALITY




Boxy



RWB270	765	380	1090	270
--------	-----	-----	------	-----

431UG

- windproof lid
- linkable
- high-quality $\frac{3}{4}$ " brass connection thread (ig) for the outlet tap
- UV and weather resistant
- outlet opening for complete drainage before the frost period
- all drainage openings pre-drilled
- manufactured using stress-free rotational molding
- the tank contains a planting tray, allowing the rainwater tank to be used without a lid
- trendy and functional rainwater tank made from high-quality materials
- compatible with Waterform accessories.



Insert for flowers
under the lid

720 l
CAPACITY
FINEST QUALITY



Boxy



RWB720	1145	515	1360	720
--------	------	-----	------	-----

431UG

The product does not include a metal faucet.

The beauty
of water



ARVĚS

290 l
CAPACITY
FINEST QUALITY



Freze

			
mm	mm		
RWW290	580	1205	290
431UG			

- linkable
- high-quality ¾" brass connection thread (ig) for the outlet tap
- fits a standard watering can up to 10 l under the outlet tap
- UV and weather resistant
- outlet opening for complete drainage before the frost period
- all drainage openings pre-drilled
- manufactured using stress-free rotational molding
- the modern rainwater tanks freze serve as convenient water storage elements in the garden
- made from high-quality, weather-resistant materials
- its simple and elegant form makes it a focal point for your modern garden
- aesthetic groove pattern structure
- compatible with Waterform accessories.

410 l
CAPACITY
FINEST QUALITY



Freze

			
mm	mm		
RWW410	630	1450	410
431UG			

280 l
CAPACITY
FINEST QUALITY



Novara

			
mm	mm		
RNV280	570	1170	280
B411 S433 7529U			
SPECIAL ORDER			
4C S443 2088U			

- modern cross-ribbed design
- child-safe lid
- linkable
- high-quality ¾" brass connection thread (ig) for the outlet tap
- fits a standard watering can up to 10L under the outlet tap (distance to the ground approx. 30 cm)
- uv and weather resistant
- outlet opening for complete drainage before the frost period
- all drainage openings pre-drilled
- manufactured using stress-free rotational molding
- compatible with Waterform accessories.

500 l
CAPACITY
FINEST QUALITY



Novara

			
mm	mm		
RNV500	570	2100	500
B411 S433			

The product does not include a metal faucet.

The beauty
of water



ARVĒS®

160 l
CAPACITY
FINEST QUALITY



Alana

			
	mm	mm	
RALA160	545	1160	160
S433	S443	7529U	

- firmly integrated planting chamber
- unique vertical wave design
- linkable
- high-quality ¾" brass connection thread (ig) for the outlet tap
- fits a standard watering can up to 10L under the outlet tap (distance to the ground approx. 30 cm)
- UV and weather resistant
- outlet opening for complete drainage before the frost period
- all drainage openings pre-drilled
- manufactured using stress-free rotational molding
- compatible with Waterform accessories

210 l
CAPACITY
FINEST QUALITY



Rainbowl

			
	mm	mm	
RRA210	600	1100	210
S433	S443	7529U	

- child-safe lid
- suitable for watering cans due to removable lid
- linkable
- high-quality ¾" brass connection thread (ig) for the outlet tap
- fits a standard watering can up to 10L under the outlet tap (distance to the ground approx. 30 cm)
- UV and weather resistant
- outlet opening for complete drainage before the frost period
- all drainage openings pre-drilled
- manufactured using stress-free rotational molding
- compatible with Waterform accessories

150 l
CAPACITY
FINEST QUALITY



Rainbowl Flower

			
	mm	mm	
RRAF150	600	1100	150
S433	S443	7529U	

- child-safe lid
- suitable for watering cans due to removable lid
- linkable
- high-quality ¾" brass connection thread (ig) for the outlet tap
- fits a standard watering can up to 10L under the outlet tap (distance to the ground approx. 30 cm)
- UV and weather resistant
- outlet opening for complete drainage before the frost period
- all drainage openings pre-drilled
- manufactured using stress-free rotational molding
- compatible with Waterform accessories

The product does not include a metal faucet.

The beauty
of water



AI MODIFIED

ARVĚS

475 l
CAPACITY
FINEST QUALITY



Evergreen



- windproof lid
- UV and weather resistant
- all drainage openings pre-drilled
- each tank is unique
- expandable
- child-safe lid
- handcrafted
- the evergreen rainwater tanks are high-quality replicas of oak trunks
- due to their special design, the rainwater tanks integrate perfectly into the natural environment of your garden
- compatible with WATERFORM accessories

300 l
CAPACITY
FINEST QUALITY



Evergreen Lite



- windproof lid
- UV and weather resistant
- all drainage openings pre-drilled
- each tank is unique
- expandable
- child-safe lid
- handcrafted
- the evergreen rainwater tanks are high-quality replicas of oak trunks
- due to their special design, the rainwater tanks integrate perfectly into the natural environment of your garden
- compatible with Waterform accessories

250 l
CAPACITY
FINEST QUALITY



Little Tree



- windproof lid
- each tank is unique
- surface handcrafted
- child-safe lid
- suitable for watering cans due to removable lid
- linkable
- high-quality 3/4" brass connection thread (ig) for the outlet tap
- fits a standard watering can up to 10L under the outlet tap (distance to the ground approx. 30 cm)
- UV and weather resistant
- outlet opening for complete drainage before the frost period
- all drainage openings pre-drilled
- manufactured using stress-free rotational molding
- compatible with WATERFORM accessories

The product does not include a metal faucet.

The beauty
of water



WOOD EFFECT FINISH

ARVĒS®

230 l
CAPACITY
FINEST QUALITY



Norway



RNO230	580	420	1370	230
--------	-----	-----	------	-----

440U

- high-quality brass fittings
- UV and weather resistant
- all drainage openings pre-drilled
- each tank is unique
- expandable
- handcrafted
- linkable
- special stability provided by internal passageways
- genuine wood shingles and nordic spruce were the base materials for the design of this unique rainwater tank
- thanks to its intentionally slim shape and small footprint this rainwater tank fits even in the smallest garden
- compatible with Waterform accessories.

275 l
CAPACITY
FINEST QUALITY



Rustico



RRU275	780	1000	275
--------	-----	------	-----

440U

- windproof lid
- child-safe lid
- suitable for watering cans due to removable lid
- UV and weather resistant
- special feature: handcrafted
- outlet opening for complete drainage before the frost period
- all drainage openings pre-drilled
- manufactured using stress-free rotational molding
- high-quality material, authentic wood pattern
- linkable
- thanks to its rustic wood appearance, the rustico rainwater tank fits particularly well in naturally landscaped gardens
- compatible with Waterform accessories.



The product does not include a metal faucet.

The beauty
of water



AI MODIFIED



WOOD EFFECT FINISH

ARVĚS®

250 l
CAPACITY
FINEST QUALITY



Barrique

			
	mm	mm	
RBQ250	600	1050	250
440U			

- each tank is unique
- child-safe lid
- suitable for watering cans due to removable lid
- linkable
- high-quality ¾" brass connection thread (ig) for the outlet tap compatible with Waterform accessories

500 l
CAPACITY
FINEST QUALITY



Burgund

			
	mm	mm	
RBU500	780	1180	500
440U			

- windproof lid
- fits a standard watering can up to 10L under the outlet tap (distance to the ground approx. 30 cm)
- suitable for watering cans due to removable lid
- UV and weather resistant
- outlet opening for complete drainage before the frost period
- all drainage openings pre-drilled
- manufactured using stress-free rotational molding
- just like its smaller counterpart, this rainwater tank is modeled after an original oak rainwater tank
- compatible with Waterform accessories



The product does not include a metal faucet.

The beauty
of water

WOOD EFFECT FINISH

AI MODIFIED

ARVĚS

300 l
CAPACITY
FINEST QUALITY



Helena

			
	mm	mm	
RHEL300	780	1200	300

R736

- each storage unit is unique
- surface handcrafted
- two different perspectives
- child-safe lid
- suitable for watering cans due to removable lid
- linkable
- high-quality ¾" brass connection thread (ig) for the outlet tap
- UV and weather resistant
- outlet opening for complete drainage before the frost period
- all drainage openings pre-drilled
- manufactured using stress-free rotational molding
- compatible with Waterform accessories

275 l
CAPACITY
FINEST QUALITY



Trentino

			
	mm	mm	
RTR275	780	1000	275

R736

S433

- windproof lid
- child-safe lid
- suitable for watering cans due to removable lid
- linkable
- high-quality ¾" brass connection thread (ig) for the outlet tap
- UV and weather resistant
- special feature: handcrafted
- outlet opening for complete drainage before the frost period
- all drainage openings pre-drilled
- manufactured using stress-free rotational molding
- high-quality material, aesthetic groove pattern
- linkable
- the terracotta color harmonizes with gardens with, for example, a mediterranean flair
- compatible with Waterform accessories

800 l
CAPACITY
FINEST QUALITY



Jumbo

			
	mm	mm	
RJU800	800	600	1800

S411

431UG

G851

SPECIAL ORDER

7501U

4C

B411

- linkable
- high-quality ¾" brass connection thread (ig) for the outlet tap
- fits a standard watering can up to 10 l under the outlet tap
- UV and weather resistant
- outlet opening for complete drainage before frost period
- all drainage openings pre-drilled
- manufactured using stress-free rotational molding
- high storage volume with minimal space requirements
- a true space-saving solution for your garden
- the tank is particularly large to easily water larger garden areas
- with its small footprint of 80 x 60 cm, the jumbo rainwater tank with 800 liters is a true space-saving solution for your garden
- compatible with Waterform accessories.

The product does not include a metal faucet.

The beauty
of water

AI MODIFIED

ARVĚS



NEW

Insert

		
	mm	mm
ROKO230	230	165

S429

AI MODIFIED

- plastic insert
- serves as a sieve and simultaneously a filter
- preventing plant debris from entering

100 l
CAPACITY
FINEST QUALITY



Modena

				
	mm	mm	mm	l
RMO100	380	380	1000	100

S433

S443

200 l
CAPACITY
FINEST QUALITY



Modena

				
	mm	mm	mm	l
RMO200	575	575	1000	200

S433

S443

SPECIAL ORDER

7529U

350 l
CAPACITY
FINEST QUALITY

NEW



Modena

				
	mm	mm	mm	l
RMO350	690	690	1215	350

S433

S443

- upper area can be filled with gravel individually
- includes a filtering insert
- fillable from the top with a classic rain flap or from the side with a rain collector
- linkable
- high-quality 3/4" brass connection thread (ig) for the outlet tap
- fits a standard watering can up to 10 l under the outlet tap (distance to the ground approx. 30 cm)
- UV and weather resistant
- outlet opening for complete drainage before the frost period
- all drainage openings pre-drilled
- manufactured using stress-free rotational molding.

The product does not include a metal faucet.

The beauty
of water




AI MODIFIED

ARVĒS



Maurano



- windproof lid
- optionally plantable (planting chamber can be cut out in the lid afterwards)
- child-safe lid
- linkable
- high-quality $\frac{3}{4}$ " brass connection thread (ig) for the outlet tap
- fits a standard watering can up to 10 l under the outlet tap (distance to the ground approx. 30 cm)
- UV and weather resistant
- outlet opening for complete drainage before frost period
- all drainage openings pre-drilled
- manufactured using stress-free rotational molding
- compatible with Waterform accessories.



Arcado



- windproof lid
- optionally plantable (planting chamber can be cut out in the lid afterwards)
- child-safe lid
- suitable for watering cans due to removable lid
- linkable
- high-quality $\frac{3}{4}$ " brass connection thread (ig) for the outlet tap
- fits a standard watering can up to 10 l under the outlet tap (distance to the ground approx. 30 cm)
- UV and weather resistant
- outlet opening for complete drainage before frost period
- all drainage openings pre-drilled
- manufactured using stress-free rotational molding
- compatible with Waterform accessories.



Arcado



460 l
CAPACITY
FINEST QUALITY



Arcado



The product does not include a metal faucet.

The beauty
of water



AI MODIFIED

ARVĚS




Concrete



- high-quality brass fittings
- UV and weather resistant
- all drainage openings pre-drilled
- two different perspectives
- linkable
- the concrete model is a particularly trendy rainwater tank for those who like to keep up with the times
- unobtrusive, elegant, and unique, the concrete rainwater tank fits perfectly into modernly designed gardens
- both sides of the rainwater tank have been intricately designed differently. decide which of the two sides you prefer and which you want to position outward
- compatible with Waterform accessories



Noblesse



- windproof lid
- optionally plantable
- child-safe lid
- linkable
- high-quality $\frac{3}{4}$ " brass connection thread (ig) for the outlet tap
- fits a standard watering can up to 10 l under the outlet tap (distance to the ground approx. 30 cm)
- UV and weather resistant
- outlet opening for complete drainage before the frost period
- all drainage openings pre-drilled
- manufactured using stress-free rotational molding
- compatible with Waterform accessories



Barletta



- linkable
- high-quality $\frac{3}{4}$ " brass connection thread (ig) for the outlet tap
- fits a standard watering can up to 10 l under the outlet tap (distance to the ground approx. 30 cm)
- UV and weather resistant
- outlet opening for complete drainage before the frost period
- all drainage openings pre-drilled
- manufactured using stress-free rotational molding
- compatible with Waterform accessories

The product does not include a metal faucet.

The beauty
of water



AI MODIFIED

ARVĒS

NEW

Water supply point with a tap allows the user to draw water in the garden easily and conveniently.



NEW

Classico

	← mm	↗ mm	↑ mm
RTWCL1	480	570	955
S433	105G	431UG	

FINEST QUALITY



NEW

Classico

	← mm	↗ mm	↑ mm
RTWCL2	500	580	935
S433	105G	431UG	

FINEST QUALITY



NEW

Classico

	← mm	↗ mm	↑ mm
RTWCL3	500	580	975
S433	105G	431UG	

FINEST QUALITY



- rainwater fitted with a tap
- built-in drain outlet with stopper
- integrated quick connector for hose attachment
- stable ground-standing base

ARVÈS®

The beauty
of water



NEW

Modern

	mm	mm	mm
RTWM1	430	515	960
S433	4C		

FINEST QUALITY



NEW

Modern

	mm	mm	mm
RTWM2	470	537	960
S433	4C		

FINEST QUALITY



Freze

	mm	mm	mm
RTWF	530	374	1025
431UG			

FINEST QUALITY



NEW

Freze Simple

	mm	mm
RTWFS	280	1100
431UG		

FINEST QUALITY

ARVĚS

Water supply point with a tap allows the user to draw water in the garden easily and conveniently.



Claso S

	← mm	↗ mm	↑ mm
RTWCS	260	260	1090

S433 4C
FINEST QUALITY



Claso R

	∅ mm	↑ mm
RTWCR	280	1090

S433 4C
FINEST QUALITY



Natura

	← mm	↗ mm	↑ mm
RTWN	240	240	980

S433 4C
FINEST QUALITY



Poller

	← mm	↗ mm	↑ mm
RTWP	240	240	900

S433 4C
FINEST QUALITY



Romana

	← mm	↗ mm	↑ mm
RTWR	260	260	1100

S433 4C
FINEST QUALITY



Forest

	← mm	↗ mm	↑ mm
RTWO	200	260	1000

440U
FINEST QUALITY

ARVĚS

The beauty
of water



ARVĚS



ARVĚS®

Accessories for Rainwater Tank Collection



Chrom Tap 3/4"

	←	↗	↑
	mm	mm	mm
RTAP1	140	40	230



Threaded tap for decorative tanks
Intended exclusively for rainwater.



Brass Tap 3/4"

	←	↗	↑
	mm	mm	mm
RTAP1	140	40	230



Threaded tap for decorative tanks
Intended exclusively for rainwater.



Closed tank connection Kit

	←	↗	↑
	mm	mm	mm
RCANS1	235	50	280



A kit designed for installing a rainwater collector connection in enclosed tanks that are inaccessible from the interior.



Overflow elbow 3/4"

	←	↗	↑
	mm	mm	mm
RCANS2	140	45	230



A kit utilized for the installation of an overflow connector in rainwater tanks to facilitate the transfer of excess water to another tank.



Hose adapter 3/4"

	mm	mm	mm
RCANS3	140	45	230
7015			

A kit used for installing a 3/4" connector onto a 25mm diameter pipe in rainwater tanks.



Hose adapter 1"

	mm	mm	mm
RCANS4	140	60	230
7015			

A kit utilized for installing a 1" threaded connector onto a 32mm diameter pipe in rainwater tanks.



Hose valve 1"

	mm	mm	mm
RCANS5	140	50	230
7015			

Threaded valve - Designed for rainwater collectors without the need for gutter disassembly.



Filter with valve

	mm	mm	mm
RCANS6	140	80	230
7015			

A valve fitted with a mesh filter, engineered to remove impurities within an internal basket.



Accessories for Rainwater Tank Collection



Connection Kit 1"

	← mm	↗ mm	↑ mm
RCANS7	235	55	435
7015			

A kit designed for connecting a rainwater tank to a 1" threaded gutter system. It can also be used for interconnecting two rainwater tanks.



Connection Kit 3/4"

	← mm	↗ mm	↑ mm
RCANS8	235	40	435
7015			

A kit specifically designed for linking two rainwater tanks together.



Easy Fix

	← mm	↗ mm	↑ mm
RCANS9	235	80	435
7015			

Rainwater tank collector, requiring no disassembly of downpipes.



Closed tank connection Set 1"

	← mm	↗ mm	↑ mm
RCANS10	235	50	435
7015			

A kit designed for connecting a rainwater tank to a 1" threaded gutter system.



Plug

	mm	mm
RPL50	51	13
RPL100	96	15

S429

Plug for the rainwater inspection hole.



Rain collector with tap

	mm	mm	mm
RCANS11	195	120	175

7037

7015

8011

7021



Rainwater harvesting kit from the gutter equipped with a basket filter and an additional valve for winter mode switching (on-off)



Easy Fix Comfort

	mm	mm	mm
RCANS12	235	80	435

7015

Complete basic kit for rainwater tank connection without the necessity of disassembling downpipes.



Rain collector

	mm	mm	mm
RCANS13	238	145	280

7037

7015

8011

7021



Rainwater downpipe filter Efficient rainwater scoop, mounted directly on the downpipe, it filters and redirects water to the tank.



Exposure


	mm	mm	mm
RSYS01	800	400	2000



Withdrawal set with hose 3/4"

	mm	mm
RCANS14	2000	22 / 28


Withdrawal set with hose, a hose with a drain tap. Transparent with a delicate blue tint.



Filter with valve



A valve fitted with a mesh filter, engineered to remove impurities within an internal basket.




Hose valve 1"



Threaded valve - Designed for rainwater collectors without the need for gutter disassembly.


catch rain water for outdoor chores



Rain collector with tap



Rain collector



Rainwater downpipe filter
Efficient rainwater scoop,
mounted directly on the downpipe,
it filters and redirects water to the tank.



Rainwater harvesting kit from
the gutter equipped with a basket
filter and an additional valve
for winter mode switching (on-off)



AI MODIFIED



waterform

RAINDROP FOR BETTER TOMORROW


Product line dedicated
to environmental protection.

The rainwater tanks and the essential accessories have been designed with the environmental protection of our planet in mind.

The wide range of products focuses on storing rainwater in your own garden in the most efficient way possible, allowing you to fully independently water your garden with 100% rainwater.


With the Waterform products, watering flowers and vegetables will never be the same again as every drop collected during the rain will make our planet happier whenever there is a draught.

320 l
CAPACITY




NEW


350 l
CAPACITY



700 l
CAPACITY



1000 l
CAPACITY



Gubo



IDGU320	580	580	1180	320
---------	-----	-----	------	-----

429U S433

- appearance of segmented blocks
- made from durable materials
- the material is resistant to damage
- temperature changes
- UV radiation
- features 3/4" connections on both the front and back for convenient water tap installation
- the possibility of connecting tanks together using the icans 8 kit

Gubo



IDGU350	595	595	1180	350
---------	-----	-----	------	-----

429U S433

- appearance of segmented blocks
- smooth neutral surface
- features 3/4" connections on both the front and back for convenient water tap installation
- UV radiation
- temperature changes
- the material is resistant to damage
- made from durable materials

Gubo



IDGU700	792	792	1367	700
---------	-----	-----	------	-----

429U S433

- appearance of segmented blocks
- made from durable materials
- the material is resistant to damage
- temperature changes
- UV radiation
- features 3/4" connections on both the front and back for convenient water tap installation

Gubo



IDGU1000	792	792	1960	1000
----------	-----	-----	------	------

429U S433

- smooth neutral surface
- appearance of segmented blocks
- made from durable materials
- the material is resistant to damage
- uv radiation
- features 3/4" connections on both the front and back for convenient water tap installation
- 4 locations for holes to connect the tank to the gutter
- 3 threaded holes, each 3/4" in size, for connecting a faucet or garden hose
- 2 threaded bottom holes, each 3/4" in size, for overflow or complete drainage connection



AI MODIFIED



- crafted from durable materials resistant to weathering and UV radiation
- space-saving for gardens
- features $\frac{3}{4}$ " connections on both the front and back for convenient water tap installation
- includes a side outlet for thorough drainage before frost sets in
- highlights uv and weather resistance
- offers dual perspectives
- designed to be expandable



- crafted from durable materials resistant to weathering and UV radiation
- space-saving for gardens
- features $\frac{3}{4}$ " connections on both the front and back for convenient water tap installation
- includes a side outlet for thorough drainage before frost sets in
- highlights uv and weather resistance
- offers dual perspectives
- designed to be expandable



350 l
CAPACITY



Tower Brick


				
	mm	mm	mm	
IDTB350	575	384	1800	350

7587U

S433

- appearance of segmented blocks
- made from durable material
- the material is resistant to damage
- temperature changes
- UV radiation
- the possibility of connecting tanks together using the icans 8 kit

350 l
CAPACITY



Tower Stone


				
	mm	mm	mm	
IDTST350	575	384	1800	350

429U

S433

- practical rainwater tank with segmented construction
- the front wall features a decorative stone motif
- includes a top opening with a cover
- four points are available to attach the gutter drain tube
- two threaded holes are provided for a tap or quick-release coupling
- the possibility of connecting tanks together using the icans 8 kit

500 l
CAPACITY



Tower Stone

				
	mm	mm	mm	
IDTST500	775	583	1300	500

429U

S433

400 l
CAPACITY

NEW



Wall Stone

				
	mm	mm	mm	
IDWS400	1180	300	1840	400

429U

S433

- flat rainwater tank
- for mounting against the building wall
- without texture
- practical rainwater tank with segmented construction
- the front wall features a decorative stone motif.
- two threaded holes are provided for a tap or quick-release coupling



350 l
CAPACITY



Aqua Tower

				
	mm	mm	mm	
IDTC350	775	383	1350	350

429U S433

- features a modernist shape, complementing modern house architecture
- includes a top opening with a cover
- provides four points to attach the gutter drain tube
- two threaded holes for a tap or quick-release coupling for mounting a garden hose
- the possibility of connecting tanks together using the icans 8 kit

450 l
CAPACITY



Aqua Tower

				
	mm	mm	mm	
IDTC450	775	573	1150	450

429U S433

- cubic form enhances the modern architecture of your house and surroundings, adding attractiveness.
- includes a top opening with a cover
- provides four points for attaching the gutter drain tube
- two threaded holes for a tap or quick-release coupling for mounting a garden hose
- the possibility of connecting tanks together using the icans 8 kit

650 l
CAPACITY



Aqua Tower

				
	mm	mm	mm	
IDTC650	775	573	1650	650

429U S433

- practical cubic shape
- largest capacity available in our product range
- enhances the modern architecture of your house and surroundings, adding attractiveness
- includes a top opening with a cover
- provides four points for attaching the gutter drain tube
- two threaded holes for a tap or quick-release coupling for mounting a garden hose
- the possibility of connecting tanks together using the icans 8 kit

400 l
CAPACITY



Aqua Wall

				
	mm	mm	mm	
IDAW400	1180	300	1840	400


429U S433

- flat rainwater tank
- for mounting against the building wall
- without texture
- appearance of segmented blocks
- the material is resistant to damage
- temperature changes





Icans 8
An exceptionally practical and innovative set for connecting water tanks together. The system enables the quick collection of rainwater in two or more tanks with a single gutter connection.






assembly instruction



110 l
CAPACITY



Aquabell


				
IDAB110S	570	570	1045	110

429U S433

base included

- outlet opening for complete drainage before frost period
- all drainage openings pre-drilled
- manufactured using stress-free rotational molding
- a true space-saving solution for your garden
- features 3/4" connections on both the front and back for convenient water tap installation
- smooth neutral surface

200 l
CAPACITY



Aquabell

				
IDAB200S	580	580	1270	200

429U S433

base included

110 l
CAPACITY



Vuelta

				
IDV110S	396	396	1305	110

429U S433

base included

- upper opening equipped with a removable lockable cover
- practical round shape with grooves
- 2 places for holes to connect the tank to the gutter
- features 3/4" connections on both the front and back for convenient water tap installation
- equipped with a removable, stable base on which the tank can be placed

120 l
CAPACITY



Tenso

				
IDT120S	396	396	1305	120


429U S433

base included

- 2 places for holes to connect the tank to the gutter
- 3 Features 3/4" connections on both the front and back for convenient water tap installation
- upper opening equipped with a removable lockable cover
- equipped with a removable, stable base on which the tank can be placed.



250 l
CAPACITY



WATER TAP
WINTER
HOLE COVER

Botaqua




IDB250 650 930 250

440U

- windproof lid
- realistic oak-wood effect surface (high-quality PE)
- removable lid suitable for watering cans
- linkable system for connecting multiple tanks
- high-quality $\frac{3}{4}$ " brass thread (IG) for outlet tap frost-resistant,
- UV-stable material

430 l
CAPACITY



WATER TAP
WINTER
HOLE COVER

Botaqua



IDB430 795 1062 430

440U

- windproof lid
- realistic oak-wood effect surface (high-quality PE)
- removable lid suitable for watering cans
- linkable system for connecting multiple tanks
- high-quality $\frac{3}{4}$ " brass thread (IG) for outlet tap frost-resistant,
- UV-stable material



AI MODIFIED


WOOD EFFECT FINISH

The design of the Velcan tank allows for rainwater collection without the need to connect it to a gutter, enabling the tank to independently serve a decorative function.



120 l
CAPACITY

NEW



WATER TAP
WINTER
HOLE COVER


Velcan

	W	Ø	↑	↓
		mm	mm	mm
IDVE120		490	900	120
	R736	S443	S433	

- inspired by antique functional art.
- blending functionality with aesthetic appeal
- includes a filtering insert
- two mounting areas are provided for attaching the gutter drain pipe
- UV- and weather-resistant

230 l
CAPACITY

NEW



WATER TAP
WINTER
HOLE COVER

Velcan

	W	Ø	↑	↓
		mm	mm	mm
IDVE230		590	1200	230
	R736	S443	S433	

- inspired by antique functional art.
- blending functionality with aesthetic appeal
- includes a filtering insert
- two mounting areas are provided for attaching the gutter drain pipe
- UV- and weather-resistant

NEW



AI MODIFIED

210 l
CAPACITY



Baby Aquacan

				
	mm	mm	mm	
ICAN210	596	560	1183	210
R736	S443	S433		

- the smallest rainwater tank in the collection
- inspired by antique functional art.
- both functional and aesthetically appealing
- equipped with a lid featuring a locking mechanism
- comes with an insert for planting plants.
- two points are available for attaching the gutter drain tube
- two threaded holes are provided for a tap or quick-release coupling to mount a garden hose

360 l
CAPACITY



Aquacan

				
	mm	mm	mm	
ICAN360	800	720	1200	360
R736	S443	S433		

- shaped by inspiration from ancient greek applied arts.
- designed to be highly functional and aesthetically pleasing
- equipped with an upper opening and lid for convenient access.
- includes an insert for planting plants
- two mounting areas are provided for attaching the gutter drain pipe.
- two threaded holes are available for taps or quick-disconnect garden hoses.

440 l
CAPACITY



Aquacan

				
	mm	mm	mm	
ICAN440	820	760	1280	440
R736	S443	S433		

- boasts the largest capacity among the rainwater tanks in the collection.
- inspired by antique functional art.
- blending functionality with aesthetic appeal
- equipped with an upper opening and lid for convenient access.
- includes an insert for planting plants
- two mounting areas are provided for attaching the gutter drain pipe
- two threaded holes are available for taps or quick-disconnect garden hoses





240 l
CAPACITY

insert for flowers

230 l
CAPACITY



WATER TAP
WINTER HOLE COVER

Maze

W	Ø	↑	↓
mm	mm	mm	mm
IDMZ240	593	1140	240
S443	S433		

- features an enhanced surface design with gently undulating horizontal grooves
- combines decorative appeal with functionality
- lid with an integrated flowerpot – perfect for seedling plants
- includes two connection points for attaching a gutter drainpipe
- two threaded holes for installing a tap or a quick-release coupling for a garden hose
- can be connected to other tanks using the icans 8 system



WATER TAP
WINTER HOLE COVER

Tube

W	Ø	↑	↓
mm	mm	mm	mm
IDM230	593	1095	230
R736	S433		

- two locations for connecting the tank to the gutter
- lid with an integrated flowerpot – perfect for seedling plants.
- perfectly smooth surface with delicate horizontal grooving.
- a combination of decorative appeal and functionality.
- possibility to connect multiple tanks using the icans 8 system



WATER TAP
WINTER HOLE COVER

Maze

W	Ø	↑	↓
mm	mm	mm	mm
IDMZ240NP	593	1140	240
S443	S433		

- features an enhanced surface design with gently undulating horizontal grooves
- combines decoration and functionality
- equipped with a locking lid
- two attachment points available for connecting the gutter drain tube
- two threaded holes provided for a tap or quick-release coupling to mount a garden hose
- possibility of connecting tanks together using the icans 8 set



WATER TAP
WINTER HOLE COVER

Tube

W	Ø	↑	↓
mm	mm	mm	mm
IDM230NP	593	1095	230
R736	S433		

- two locations for holes to connect the tank to the gutter
- features an enhanced surface design with gently undulating horizontal grooves
- combining decoration and functionality
- equipped with a lid featuring a locking mechanism
- possibility of connecting tanks together using the icans 8 set



optionaly
insert for flowers



Maze Cup



IPDM600	593	192	23,4
---------	-----	-----	------

R736


S443

S433

- Maze Cap can be used as a rainwater tank insert
- it can also serve as a flowerpot, ideal for seedling plants
- the product serves as a flowerpot
- the product can be used independently or as an insert for a water tank



310 l
CAPACITY




Canyon

W	←	↘	↓	IL
	mm	mm	mm	
ION310	680	680	1177	310
S433				

- drawing inspiration from the ancient amphora design
- features colors and textures resembling stone for added aesthetic appeal.
- equipped with an upper opening and lid
- two threaded holes provided for taps or quick-disconnect garden hoses
- a suitable choice for environmentally conscious individuals seeking to live in harmony with nature
- the possibility of connecting tanks together using the icans8 kit

270 l
CAPACITY




Wallycan

W	←	↘	↓	IL
	mm	mm	mm	
IDWA270	731	602	1278	270
R736	S433			

- original shape and a clay-like texture reminiscent of ancient greek applied arts.
- it adds beauty to any garden
- equipped with an upper opening and lid
- two mounting areas provided for the gutter drain pipe
- two threaded holes available for taps or quick-disconnect garden hoses

265 l
CAPACITY




Woodcan

W	Ø	↓	IL
	mm	mm	
IDWO265	648	1128	265
R222	S411		

- inspired by traditional wooden rainwater tanks
- it features a top opening with a cover
- single threaded hole for a tap or garden hose with a quick release coupling
- offers a practical solution for water storage
- the possibility of connecting tanks together using the icans 8 kit

210 l
CAPACITY



Raincan


W	Ø	↓	IL
	mm	mm	
IDRA210	648	928	210
S411			

- a trusted rainwater tank for saving water, utilized in garden plant watering and environmental care.
- equipped with an upper opening and lid
- its undeniable advantage lies in its simple
- modern design
- the possibility of connecting tanks together using the icans 8 kit

NEW




AI MODIFIED



insert for flowers

210 l
CAPACITY

NEW



Oro



mm

mm



IDOR210

615

1130

210

S443

S433

- fitted with a lockable lid that also functions as a planter
- two connection points for attaching a downpipe from the gutter
- two threaded openings for installing a tap or a quick-release coupling for a garden hose
- compatible with the iCans 8 set, allowing multiple tanks to be linked into a single system
- when using the dedicated ITAP2 tap, the additional nut supplied with the set is unnecessary — the tank features an integrated thread


waterform
RAINDROP FOR BETTER TOMORROW

210 l
CAPACITY



Smooth

			
	mm	mm	
IDSM210	753	865	210
429U	S433	G851	

- universal shape
- seamlessly blending into any garden style
- walls allow flexibility in drilling drain holes
- lid is equipped with additional protection against unwanted opening, especially by children
- consider additional waterform accessories for optimal water utilization
- the possibility of connecting tanks together using the icans 8 kit

310 l
CAPACITY



NEW

Smooth

			
	mm	mm	
IDSM310	800	1080	310
429U	S433	G851	

- universal shape
- seamlessly blending into any garden style
- walls allow flexibility in drilling drain holes
- lid is equipped with additional protection against unwanted opening, especially by children
- consider additional waterform accessories for optimal water utilization
- the possibility of connecting tanks together using the icans 8 kit

510 l
CAPACITY



Smooth

			
	mm	mm	
IDSM510	985	1105	510
429U	S433	G851	

- universal shape
- seamlessly blending into any garden style
- walls allow flexibility in drilling drain holes
- lid is equipped with additional protection against unwanted opening, especially by children
- consider additional waterform accessories for optimal water utilization
- the possibility of connecting tanks together using the icans 8 kit



160 l
CAPACITY



Smooth



IDSM160	600	878	160
---------	-----	-----	-----

429U

S433

- tank features a practical and simple form
- seamlessly blending into any garden style
- walls allow flexibility in drilling drain holes
- lid is equipped with additional protection against unwanted opening, especially by children.
- consider additional waterform accessories for optimal water utilization
- the possibility of connecting tanks together using the icans 8 kit

200 l
CAPACITY



Smooth



IDSM200	600	1066	200
---------	-----	------	-----

429U

S433

- slim shape
- seamlessly blending into any garden style
- walls allow flexibility in drilling drain holes
- lid is equipped with additional protection against unwanted opening, especially by children
- consider additional waterform accessories for optimal water utilization
- the possibility of connecting tanks together using the icans 8 kit



Peruno

	mm	mm	l
IDPE260	720	970	260
429U	S433		

- modern form that complements house and garden architecture
- the ability to drill drain holes anywhere adds versatility
- the lid provides additional protection against unwanted opening, particularly by children
- consider additional equipment for maximizing water potential



Peruno Set

	mm	mm	l
IDPE260S	720	1260	260
429U	S433		

- modern form that complements house and garden architecture
- the ability to drill drain holes anywhere adds versatility
- the lid provides additional protection against unwanted opening, particularly by children
- equipped with a complete water supply and drainage set
- gutter filter purifies rainwater
- a stable base facilitates easy pouring of water into a watering can or bucket

3in1
STANDARD SET

Connection Set & Base included



Full Filter Connection Set No. 7





set contains:



NEW

5 psc



Modular Basecan Set



mm mm mm

IBAS55 200 200 430

S411

10 psc



B - type connectors

10 psc



C - type connectors

10 psc



D - type connectors



option:

B
Ø 35,7 - 44,5 cm



option:

C
Ø 42,0 - 48,6 cm



option:

D
Ø 45,0 - 51,4 cm

IBAS55

base for rainwater tank

the set allows for the creation of one base with three diameters

bases with a diameter of 35,7 cm - 44,5 cm, 42 cm-48,6 cm and 45 cm- 51,4 cm





option:

E
Ø 47,0 - 55,6 cm



E - type connectors



12 psc

option:

F
Ø 60,0 - 67,3 cm



F - type connectors



14 psc

IBAS6S

base for rainwater tank

the set allows for the creation of one base with two diameters
bases with a diameter of 47 cm - 55,6 cm and 60 cm - 67,3 cm

set contains:

NEW



7 psc



step 1.



step 2.



Modular Basecan Set



IBAS6S 200 200 530

S411



Basecan



IBAS	512	230
------	-----	-----

S433

complete your set with rainwater tanks:

IDMZ240, IDM230, ICAN210, ICAN360, ION310, IDWA270, IDWO265, IDRA210, IDSM160, IDSM200, IDSM210,

Basecan



IBAS2	608	310
-------	-----	-----

S433

complete your set with rainwater tanks:

IDMZ240, IDM230, ICAN210, ICAN360, ICAN440, ION310, IDWA270, IDWO265, IDRA210, IDSM160, IDSM200, IDSM210, IDPE260



Postumo



ITWP	260	900
------	-----	-----

7541U

S433



Bela



ITWB	220	220	900
------	-----	-----	-----

R222

S433



Tanker



ITWTAN	240	240	900
--------	-----	-----	-----

7541U

S433

Tanker water supply point with a tap allows the user to draw water in the garden easily and conveniently.



Accessories for Rainwater Tank Collection

Cantap

			
	mm	mm	mm
ITAP1	150	40	160
S411	874C		


ITAP1 – Tap to discharge water collected in the rainwater tank. The set consists of 3 elements: tap, gasket, nut. Fitted with an additional gasket and a nut, which makes it compatible with all rainwater tanks. The end of the tap is compatible with the garden hose.

Icanbelt

			
	mm	mm	mm
ICANB1	120	20	180
S411			

ICANBELT – Strap securing the rainwater tank

1. Mounting the strip on the upper wall of the rainwater tank.
2. Mounting the strip to the side wall of the rainwater tank.



Accessories for Rainwater Tank Collection

Cantap

			
	mm	mm	mm
ITAP2	150	40	160
S411	874C		

ITAP2 – Tap to discharge water collected in the rainwater tank. The set consists of 3 elements: tap, gasket, nut. Fitted with an additional gasket and a nut, which makes it compatible with all rainwater tanks.



Accessories for Rainwater Tank Collection

Tap

			
	mm	mm	mm
ITAP3	150	40	160
silver	gold		

ITAP3 – Metal tap to discharge water collected in the rainwater tank. The set consists of 3 elements: metal tap, end connection, connection nozzle.



Connection Set No. 1



Accessories Set No. 3



Accessories Set No. 4



Water Dispenser Connection Set No. 5



Connection Set No. 6



Icanset 1

	mm	mm	mm
ICANS1	315	50	280

The connection is suitable for ARVĚS products

The connection is suitable for Waterform products



Icanset 3

	mm	mm	mm
ICANS3	180	50	230

The accessories are suitable for ARVĚS products

The accessories are suitable for Waterform products



Icanset 4

	mm	mm	mm
ICANS4	180	45	230

The accessories are suitable for ARVĚS products

The accessories are suitable for Waterform products



Icanset 5

	mm	mm	mm
ICANS5	300	40	370

The connection is suitable for ARVĚS products

The connection is suitable for Waterform products



Icanset 6

	mm	mm	mm
ICANS6	300	45	370

The connection is suitable for ARVĚS products

The connection is suitable for Waterform products



Full Filter Connection Set No. 7



Icanset 7

			
	mm	mm	mm
ICANS7	400	70	290

The accessories are suitable for ARVĚS products

The accessories are suitable for Waterform products



Connection Set No. 8



Icanset 8

			
	mm	mm	mm
ICANS8	300	50	370

The connection is suitable for ARVĚS products

The connection is suitable for Waterform products



Connecting Outer Filter



Outer Filter

			
	mm	mm	mm
IFILZ	180	70	210

The connection is suitable for ARVĚS products

The connection is suitable for Waterform products



Connection Gutter Filter



Gutter Filter set

			
	mm	mm	mm
IFILWS	300	120	360

The connection is suitable for ARVĚS products

The connection is suitable for Waterform products



Gutter Filter



Gutter Filter

			
	mm	mm	mm
IFILW1	300	120	360

universal filter for all gutter types
ø 76 - 112 mm



cover with planting possibility



tap

quick - lock couplings



selected models designed with space to hang the hose back



wall mountable hanger



flexible hose with watering tip




universal filter for all gutter types



basecan

catch rain water for outdoor chores




Connection Gutter Filter




universal filter
for all gutter
types

Gutter Filter



Connecting Outer Filter



set contains 6 elements



Connection Set No. 1

Icanset 1

			
	mm	mm	mm
ICANS1	315	50	280

ICANS1 – Connection system designed to collect and transfer water to the rainwater tank. The set includes 6 elements: holesaw; reducer; hose; water catcher. Versatile product, its simple design ensures quick installation and easy access without much interference with the gutter. Product compatible with the IFILZ external filter.



set contains 5 elements



Accessories Set No. 3

Icanset 3

			
	mm	mm	mm
ICANS3	180	50	230

ICANS3 – Rainwater supply and discharge system. The tap is provided with an additional gasket and a nut, which makes it compatible with all Waterform rainwater tanks. The set includes 5 elements: reducer; water catcher; tap.



set contains 5 elements



Accessories Set No. 4

Icanset 4



ICANS4 180 45 230

ICANS4 – System to discharge water collected in the rainwater tank. The set includes 5 elements: tap; universal connectors; spout; hanger. The spout is compatible with the MAZE; TUBE; SMOOTH; PERUNO tanks. The tap is fitted with an additional gasket and a nut, which makes it compatible with all Waterform rainwater tanks.



set contains 5 elements



Water Dispenser Connection Set No. 5

Icanset 5



ICANS5 300 40 370

ICANS5 – System to discharge water collected in the rainwater tank. The set includes 5 elements: tap; garden hose connector; hose; spout; hanger.



set contains 6 elements



Connection Set No. 6

Icanset 6



ICANS6 300 45 370

ICANS6 – Connection system designed to collect and transfer water to the rainwater tank. The set consists of 6 elements: holesaw; reducer; garden hose; water catcher. Very versatile product, its simple design ensures quick installation and easy access without much interference with the gutter.



set contains 13 elements



Full Filter Connection Set No. 7

Icanset 7

			
	mm	mm	mm
ICANS7	400	70	290

ICANS7 – System to supply and discharge water collected in the tank. The set consists of 13 elements: holesaw; tap; universal connectors; garden hose; spout; hanger; reducer; hose; external filter; catcher. The set is enriched with an external filter to filter water entering the tank. Complete and versatile set, simple design ensures quick installation.



set contains 4 elements



Connection Set No. 8

Icanset 8

			
	mm	mm	mm
ICANS8	300	50	370

ICANS8 – Connection system designed to distribute water from tank A to tank B. The set consists of 4 elements: holesaw; two connectors; hose. Very versatile product, its simple design ensures quick installation.



set contains 3 elements



Connecting Outer Filter

Outer Filter



IFILZ 180 70 210

IFILZ – External filter designed to filter water entering the rainwater tank. The set consists of 3 elements: lid; filter; external housing. Product compatible with the ICANS1 set. The filter is installed between the water catcher and the reducer.



set contains 8 elements



Connection Gutter Filter

Gutter Filter set



IFILWS 300 120 360

IFILW S – Gutter filter additionally fitted with a system to collect and transfer the water, designed to filter and supply purified water to the rainwater tank. The set consists of 8 elements: external housing; large internal filter; small internal filter. water catcher; reducer; hose. Versatile product, its simple design ensures quick installation and easy access.



set contains 4 elements



Gutter Filter

Gutter Filter



IFILW1 300 120 360

IFILW 1 – Gutter filter designed to filter out contaminants that get into the gutter to prevent them from clogging. The set consists of 4 elements: external housing; large internal filter; small internal filter. Versatile product, its simple design provides quick installation and easy access.





ARVĒS®



waterform

RAINDROP FOR BETTER TOMORROW



Compatibility
of Bases
and
Water Tanks

ARVĚS®







Basecan

		
IBAS	512	230
S433		



5 psc

Modular Basecan Set

		
IBAS5S	200	200 430
S411		

IBAS6S
base for rainwater tank
the set allows for the creation of one base with two diameters
bases with a diameter of 47 cm - 55,6 cm and 60 cm - 67,3 cm



10 psc

B - type connectors

10 psc

C - type connectors

10 psc

D - type connectors



option:

B
Ø 35,7 - 44,5 cm



option:

C
Ø 42,0 - 48,6 cm



option:

D
Ø 45,0 - 51,4 cm



Basecan

		
IBAS2	608	310
S433		



7 psc

Modular Basecan Set

		
IBAS6S	200	200 530
S411		

IBAS5S
base for rainwater tank
the set allows for the creation of one base with three diameters
bases with a diameter of 35,7 cm - 44,5 cm, 42 cm-48,6 cm and 45 cm- 51,4 cm



12 psc

E - type connectors

14 psc

F - type connectors




option:

E
Ø 47,0 - 55,6 cm



option:

F
Ø 60,0 - 67,3 cm



underground rainwater tank

The **UNGROUND R LINE** rainwater tank series is dedicated to collecting, storing and then distributing rainwater. It is an optimal solution for home users to irrigate vegetation. Rainwater can also be used for other activities and chores when running a household.

Our tanks are made in rotomoulding technology, which ensures their complete tightness and durability. The material used for their production is HDPE with a high content of recycled material, which makes them environmentally friendly.

The functionality and durability of our rainwater tanks have been certified by the Institute of Technology and Life Sciences.

Its durability did not prevent it from being low in weight, which is a great advantage during their assembly. Each of the tanks is equipped with an inspection hole and an assembly hatch. Specially profiled bottom allows the installation of tanks in areas with the possibility of high groundwater.

We offer capacities from 1,000 to 7,000 litres. Our rainwater tanks, if necessary, can be equipped with the following elements:

- absorbing well
- drainage tunnel
- leaf separator
- extension for the rainwater tank
- irrigation pump



RAINWATER HARVESTING NEW



waterform

RAINDROP FOR BETTER TOMORROW

1000 l
CAPACITY



Unground R-1000

	mm	mm	mm	mm	kg	pcs	
RUT1000	1850	900	1190	1000	~50	~30	
RUT1000C	1850	900	1190	1000	~50	~30	

2000 l
CAPACITY



Unground R-2000

	mm	mm	mm	mm	kg	pcs	
RUT2000	2200	1200	1490	2000	~85	~24	
RUT2000C	2200	1200	1490	2000	~85	~24	

3000 l
CAPACITY



Unground R-3000

	mm	mm	mm	mm	kg	pcs	
RUT3000	2400	1370	1640	3000	~110	~10	
RUT3000C	2400	1370	1640	3000	~110	~10	

The entire tank is reinforced with sturdy vertical ribs, and the rounded bottoms are additionally strengthened with a horizontal rib. Each wall of the tank has two carrying handles, and the lower part has slots to insert the forks of a forklift truck. Two round inspection hatches with extension rings and covers are located on the top of the tank. Mounting the cover to the tank with 4 mounting screws prevents direct access to the tank. A 110 mm diameter seal-mounted PVC supply pipe is fixed to the smaller 400 mm diameter inlet extension ring of the manhole. Under the extension ring there is also a 290 mm diameter hole with a filter screen. The larger of the manholes is 600 mm in diameter. There is a flat surface in the outlet section of the tank where the drain is installed. It consists of a 110 mm diameter PVC pipe and a siphon mounted to it consisting of three 110 mm PVC elbows and a pipe.

The tank may only be installed in pedestrian areas.

Konstrukcję całego zbiornika wzmocniono solidnymi pionowymi żebrowaniami, a zaokrąglone dennice dodatkowo żebrem poziomym. Każda ze ścian zbiornika wyposażona jest w dwa uchwyty transportowe, zaś w jego dolnej części znajdują się wycięcia pod widły wózka widłowego. W górnej części zbiornika znajdują się dwa okrągłe włazy inspekcyjne z nadstawkami i pokrywami. Montaż pokrywy do zbiornika za pomocą 4 wkrętów montażowych uniemożliwia bezpośredni dostęp do zbiornika. W mniejszej wlotowej nadstawce wlotu o średnicy 400 mm zamocowana jest rura dopływowa PCV o średnicy 110 mm, osadzona na uszczelce. Pod nadstawką znajduje się również otwór o średnicy 290 mm z sitem filtracyjnym. Większy z włazów ma średnicę 600 mm. W części wylotowej zbiornika znajduje się wypłaszczenie, na którym zamontowany jest odpływ. Składa się on z rury PCV o średnicy 110 mm oraz osadzonego na niej syfonu składającego się z 3 kolan PCV 110 mm oraz rury.


Zbiornik może być montowany wyłącznie w miejscach przeznaczonych do ruchu pieszego.



Certificate Attestation

Standard set

All components are complete
with rainwater tank



5000 l
CAPACITY



set contains:
zestaw zawiera:



Unground R-5000

							
	mm	mm	mm		kg	pcs	
RUT5000	2400	2400	1480	5000	~200	~10	
RUT5000C	2400	2400	1480	5000	~200	~10	

7000 l
CAPACITY



set contains:
zestaw zawiera:



Unground R-7000

	 mm	 mm	 mm	 kg	 pcs	
RUT7000	3280	2400	1520	7000	~295	~8
RUT7000C	3280	2400	1520	7000	~295	~8

The entire tank is reinforced with sturdy vertical ribs. The lower part has slots to insert the forks of a forklift truck. Two round inspection hatches with extension rings and covers are located on the top of the tank. Mounting the cover to the tank with 4 mounting screws prevents direct access to the tank. A 110 mm diameter seal-mounted PVC supply pipe is fixed to the smaller 400 mm diameter inlet extension ring of the manhole. Under the extension ring there is also a 290 mm diameter hole with a filter screen. The larger of the manholes is 600 mm in diameter. There is a flat surface in the outlet section of the tank where the drain is installed. It consists of a 110 mm diameter PVC pipe and a siphon mounted to it consisting of three 110 mm PVC elbows and a pipe. **The tank may only be installed in pedestrian areas.**

Konstrukcję całego zbiornika wzmocniono solidnymi pionowymi żebrowaniami. W jego dolnej części znajdują się wycięcia pod widły wózka widłowego. W górnej części zbiornika znajdują się dwa okrągłe włazy inspekcyjne z nadstawkami i pokrywami. Montaż pokryw do zbiornika za pomocą 4 wkrętów montażowych uniemożliwia bezpośredni dostęp do zbiornika. W mniejszej wlotowej nadstawce włazu o średnicy 400 mm zamocowana jest rura dopływowa PCV o średnicy 110 mm, osadzona na uszczelce. Pod nadstawką znajduje się również otwór o średnicy 290 mm z sitem filtracyjnym. Większy z włazów ma średnicę 600 mm. W części wylotowej zbiornika znajduje się wypłaszczenie, na którym zamontowany jest odpływ. Składa się on z rury PCV o średnicy 110 mm oraz osadzonego na niej syfonu składającego się z 3 kolan PCV 110 mm oraz rury.

Zbiornik może być montowany wyłącznie w miejscach przeznaczonych do ruchu pieszego.



Certificate Attestation

Standard set

All components are complete with rainwater tank





Unground R-Drain 150

	mm	mm	mm		kg	pcs
RUR150	1200	760	330	150	~8	30

The construction is reinforced with sturdy ribbing and a horizontal lug (the so-called fin) at the bottom of the base which prevent the tunnel from collapsing when covered with a layer of ground.

The inlet mounting lug on the front and rear wall of the tunnel allows the installation of a sewage pipe to supply waste water and rainwater, or a combination of several tunnels into a single drainage line. A 110 mm diameter drainage pipe should be placed inside the tunnel, which allows the waste water to spread evenly over the entire length of the tunnel. To ensure adequate ground oxygenation under the drainage tunnel, connect the vent pipe to the final tunnel in the drainage line, take it above ground level and close with an aeration head. The tunnels are connected with PVC-U sewer fittings and drainage pipes which are also made of PVC-U.

Konstrukcja wzmocniona solidnym żebrowaniem oraz poziomy występ (tzw. pletwa) w dolnej części podstawy zapobiegają zapadaniu się tunelu po przykryciu go warstwą gruntu.

Wlotowy występ montażowy na przedniej i tylnej ścianie tunelu umożliwia montaż rury kanalizacyjnej, doprowadzającej wody opadowe lub połączenie kilku tuneli w jeden ciąg drenarski. Wewnątrz tunelu należy umieścić rurę drenarską o średnicy 110 mm, która umożliwia równomierny rozływ wody na całej długości tunelu. Aby zapewnić odpowiednie natlenienie gruntu pod tunelem rozsączającym, należy do ostatniego tunelu w ciągu drenarskim podłączyć za pomocą studzienki zamykającej rurę wywiewną, wyprowadzić ją ponad poziom gruntu i zamknąć grzybkiem napowietrzającym. Łączenie tuneli odbywa się za pomocą kształtek kanalizacyjnych wykonanych z PVC-U oraz rur drenarskich również wykonanych z PVC-U.



Unground R-Drain 500

	mm	mm	mm		kg	pcs
RUR500	1200	1200	950	500	~20	5 MAX PAL

The open-bottom absorbing well has 24 markers on its side walls to allow draining holes of up to 76 mm in diameter to be made.

At the top of the well there is a 50 mm diameter chimney to supply air inside the well and a 400 mm diameter inspection hole designed for mounting extension rings. There are also four mounting lugs on the well's wall to connect the rainwater drain, the waste water supply duct or to combine the absorbing wells into a larger drainage system using a 110 mm or 160 mm drain pipe. The wells are connected with PVC-U sewer fittings.

Studnia chłonna o otwartym dnie posiada na bocznych ściankach 24 znaczniki umożliwiające wykonanie otworów rozsączających o średnicy do 76 mm.

W górnej części studni znajduje się komin o średnicy 50 mm doprowadzający powietrze do jej wnętrza oraz otwór inspekcyjny o średnicy 400 mm, przygotowany pod montaż nadstawek.

Na ścianie studni znajdują się również cztery występy montażowe, umożliwiające podłączenie odpływu wód deszczowych, lub połączenie studni chłonnych w większy system drenarski,


z wykorzystaniem rury kanalizacyjnej o średnicy 110 mm lub 160 mm.

Łączenie studni odbywa się za pomocą kształtek kanalizacyjnych wykonanych z PVC-U.



Unground R-Drain 1000

	mm	mm	mm		kg	pcs
RUR1000	1400	1400	1250	1000	~40	5 MAX PAL





Unground Cover

	W	mm	mm	mm	pcs	h
RUC400		510	510	30	120	~1,23 m
RUC600		710	710	30	60	~1,24 m

Spare parts for tanks and drainage wells. The construction of the cover is reinforced underneath with a ring and 9 lateral ribs. There are four holes on the convex surface for securing the cover to the extension ring with mounting screws which, in turn, prevents direct access to the tank.

Konstrukcję pokrywy wzmocniono od spodu pierścieniem i 9 poprzecznymi żebrowaniami. Na wypukłej powierzchni znajdują się cztery otwory umożliwiające przymocowanie pokrywy do nadstawki za pomocą wkrętów montażowych, co z kolei uniemożliwia bezpośredni dostęp do zbiornika.



Unground Extension

	W	mm	mm	mm	set	h
RUE400		510	510	210		
RUE600		710	710	210	20	~2,15 m

Spare parts for tanks and drainage wells. The construction of the extension ring is reinforced with horizontal ribs. The side wall has four flat surfaces that allow inlet holes to be drilled and the 110 mm supply pipes and seals to be installed. The bottom edge of the extension ring is the tank mounting flange. The flange at the top of the ring allows the cover to be attached.

Konstrukcję pierścienia nadstawki wzmocniono poziomymi żebrowaniami. Ścianę boczną wyposażono w cztery wypłaszczenia, umożliwiające wywiercenie w nich otworów wlotowych i zainstalowanie rur dopływowych o średnicy 110 mm wraz z uszczelkami. Dolną krawędź nadstawki stanowi kołnierz mocujący do zbiornika. Kołnierz w górnej części nadstawki umożliwia przymocowanie do niej pokrywy. Nadstawkę do zbiornika montuje się przy pomocy wkrętów.




Unground Filter

	W	mm	mm	mm	pcs	pcs	pcs	h
RUF		305	305	240	-	25	150	~1,35m


Basket filter developed to catch small impurities flowing with water from the roof. Made of durable and flexible material. Flexible handle makes it easy to remove the basket from the tank. The filter is designed for the entire collection of Unground R rainwater tanks.

Filtr koszowy wychwytyjący drobne zanieczyszczenia płynące z wodą z dachu. Wykonany z trwałego i elastycznego materiału. Elastyczny uchwyt ułatwia wyjmowanie kosza ze zbiornika. Filtr przeznaczony jest do całej kolekcji zbiorników Unground R.



Pipe R-2000

Unground R-Drain 150



Unground Accessories

	mm	mm	mm	set	pcs	pcs	h
RUA1	510	620	210	1	5	30	~1,92m



Unground Pipe R-1000

	mm	mm	mm	set
RUP1000	2000	110	110	4



Unground Pipe R-2000

	mm	mm	mm	set
RUP2000	2000	110	110	4



Unground Pipe RD-2000

	mm	mm	mm	set
RUD2000	2000	110	110	1

USE OF RAINWATER



● **GARDEN WATERING**



● **OVERFLOW**





**SECONDARY
WATER**

CAR, BIKE WASHING

MAIN TANK


PUMP

put the plastic barrel
on a firm and stable
surface

underground rainwater tank

DISTRIBUTING RAINWATER

RAINWATER HARVESTING





Currently our products are successfully distributed to more than 90 countries worldwide and the number of satisfied customers is increasing each year!

Wszystkie prawa zastrzeżone przez Prosperplast 1 Spółka z o.o., a zawartość nie może być powielana, pobierana, rozpowszechniana, publikowana lub przekazywana w jakiegokolwiek formie i w jakikolwiek sposób, bez uprzedniej pisemnej zgody Prosperplast 1 Spółka z o.o.
Niniejszy katalog nie stanowi oferty w rozumieniu obowiązujących przepisów. Za błędy w druku nie odpowiadamy.

All rights are reserved by Prosperplast 1 Spółka z o.o. and content may not be reproduced, downloaded, disseminated, published, or transferred in any form or by any means, except with the prior written permission of Prosperplast 1 Spółka z o.o.
This catalogue does not constitute an offer within the meaning of applicable rules. We are not responsible for printing errors.

Contact us

Poland

Headquarter, Production & Warehouse

Prosperplast 1 Sp. z o. o.
Wilkowska 968
43-378 Rybarzowice
Poland

tel. +48 33 817 70 03
fax +48 33 817 60 81

biuro@prosperplast.pl
office@prosperplast.pl
www.prosperplast.pl

Germany

Headoffice

Prosperplast Deutschland GmbH
Hopfenstraße 22a
85283 Wolnzach
Germany

tel. +49 8442 9628499
fax +49 8442 9680853

kontakt@prosperplast.de
www.prosperplast.de

Czech Republic

Office & Warehouse

Prosperplast s.r.o.
CTPark Tošanovice
739 53 Horní Tošanovice
Czech Republic

tel. +420 553 034 443
mob +420 605 499 544

info@prosperplast.cz
www.prosperplast.cz

Hungary

Office

Prosperplast Kft.
1136-H Budapest,
Tátra u. 5/a, alagsor 2.
Magyarország
Hungary

mob +36 30 4095 710
mob +36 30 2855 886

office@prosperplast.hu
www.prosperplast.hu


Office & Warehouse
Prosperplast Deutschland GmbH
Nikolaus-Otto-Straße 13
02625 Bautzen
Germany

Warehouse
Prosperplast Deutschland GmbH
Weststrasse 6
02708 Löbau
Germany

Headoffice
Prosperplast Deutschland GmbH
Hopfenstraße 22a
85283 Wolnzach
Germany

Office & Warehouse
Prosperplast s.r.o.
CTPark Tošanovice
739 53 Horní Tošanovice
Czech Republic

Office
Prosperplast Kft.
1136-H Budapest,
Tátra u. 5/a, alagsor 2.
Magyarország
Hungary



Headquarter, Production & Warehouse
Prosperplast 1 Sp. z o. o.
Wilkowska 968
43-378 Rybarzowice, Poland

Warehouse & Production
Prosperplast 1 Sp. z o. o.
E. Kwiatkowskiego 15, 17
43-365 Wilkowice, Poland

Warehouse
Prosperplast 1 Sp. z o. o.
E. Kwiatkowskiego 18, 23
43-365 Wilkowice, Poland

Warehouse
Prosperplast 1 Sp. z o. o.
Wilkowska 59, 61
43-365 Wilkowice, Poland

Warehouse
Prosperplast 1 Sp. z o. o.
Wilkowska 12,14
43-378 Rybarzowice, Poland

Production & Warehouse
Prosperplast 1 Sp. z o. o.
Leśniana 81
34-300 Żywiec, Poland

Production
Prosperplast 1 Sp. z o. o.
Wczasowa 733A
43-374 Buczkowice, Poland

ARVĒS®



waterform

RAINDROP FOR BETTER TOMORROW

Prosperplast 1 Sp. z o.o.
Wilkowska 968
43-378 Rybarzowice
Poland

Feel free to place your order via B2B